

TYPES OF MAJOR ACCIDENTS

**MASS CASUALTY
HAZARDOUS MATERIAL INCIDENTS
GROUND EMERGENCIES
AIRCRAFT ACCIDENTS**

Individual Response to Major Accidents

- Alert others in the immediate area.
 - Call 911 and provide the following:
 - The nature of the incident
 - The location of the incident
 - Injuries involved (if Known)
 - Assist the injured (when possible without endangering yourself).
 - If necessary, assist in evacuating the area.
- EMERGENCY NUMBERS**
- | | |
|-----------------|---------------------|
| On Base | 911 |
| Via Cell Phone | 953-9911 (911 call) |
| Security Forces | 953-7777 |
| Fire Dept | 953-7449 |
| Command Post | 953-7474 |

TORNADO CONDITIONS**TORNADO WATCH**

- Conditions are favorable for tornados.
- Tune into local TV or radio for additional information.
- Stay alert.

TORNADO WARNING

- Tornado sighted in the local area.
- Three to five minute steady alarm tone on city/base sirens.

PROTECTIVE ACTIONS

In a building: Go to the basement or most interior location such as a closet or bathroom.

In a Vehicle, Mobile Home, or Outdoors: Go to a hardened facility or shelter or get into a low lying area such as a ditch. **Tornado movements are very erratic. Don't try to outrun one!**

EMERGENCY NOTIFICATION SIGNALS**-Disaster Warning**

- Indicates imminent or actual peacetime emergency such as a tornado, floods ,wildfire or Hazardous material release.
- Indicated by a 3-5 minute steady tone. Obtain information as to the nature/status of the situation and standby for instructions.

-Attack Warning

- Indicates an attack or hostile act such as a vehicle bomb, or terrorist release of chemical, biological or radiological material, is imminent or in progress.
- Indicated by a 3-5 minute wavering tone. Implement security measures as appropriate, gather information and be prepared to follow instructions.

-All Clear: Upon termination of base siren system and verbal announcement over the base giant voice system.

EMERGENCY MANAGEMENT INSTRUCTIONS**Unit Emergency Management Representative****Primary**

Name	Office Symbol	DP#
------	---------------	-----

Alternate

Name	Office Symbol	DP#
------	---------------	-----

Protective Fallout Shelter/Bldg #

MAXWELLAFBVA 10-2502
8 November 2011, Per AFI 10-2501
Supersedes MAXWELLAFBVA 10-3,
1 Jun 2007; OPR: 42 CES/CEY
RELEASABILITY: No restrictions

TYPES OF MAJOR ACCIDENTS

**MASS CASUALTY
HAZARDOUS MATERIAL INCIDENTS
GROUND EMERGENCIES
AIRCRAFT ACCIDENTS**

Individual Response to Major Accidents

- Alert others in the immediate area.
 - Call 911 and provide the following:
 - The nature of the incident
 - The location of the incident
 - Injuries involved (if Known)
 - Assist the injured (when possible without endangering yourself).
 - If necessary, assist in evacuating the area.
- EMERGENCY NUMBERS**
- | | |
|-----------------|---------------------|
| On Base | 911 |
| Via Cell Phone | 953-9911 (911 call) |
| Security Forces | 953-7777 |
| Fire Dept | 953-7449 |
| Command Post | 953-7474 |

TORNADO CONDITIONS**TORNADO WATCH**

- Conditions are favorable for tornados.
- Tune into local TV or radio for additional information.
- Stay alert.

TORNADO WARNING

- Tornado sighted in the local area.
- Three to five minute steady alarm tone on city/base sirens.

PROTECTIVE ACTIONS

In a building: Go to the basement or most interior location such as a closet or bathroom.

In a Vehicle, Mobile Home, or Outdoors: Go to a hardened facility or shelter or get into a low lying area such as a ditch. **Tornado movements are very erratic. Don't try to outrun one!**

EMERGENCY NOTIFICATION SIGNALS**- Disaster Warning**

- Indicates imminent or actual peacetime emergency such as a tornado, floods ,wildfire or Hazardous material release.
- Indicated by a 3-5 minute steady tone. Obtain information as to the nature/status of the situation and standby for instructions.

-Attack Warning

- Indicates an attack or hostile act such as a vehicle bomb, or terrorist release of chemical, biological or radiological material, is imminent or in progress.
- Indicated by a 3-5 minute wavering tone. Implement security measures as appropriate, gather information and be prepared to follow instructions.

-All Clear: Upon termination of base siren system and verbal announcement over the base giant voice system.

EMERGENCY MANAGEMENT INSTRUCTIONS**Unit Emergency Management Representative****Primary**

Name	Office Symbol	DP#
------	---------------	-----

Alternate

Name	Office Symbol	DP#
------	---------------	-----

Protective Fallout Shelter/Bldg #

MAXWELLAFBVA 10-2502
8 November 2011, Per AFI 10-2501
Supersedes MAXWELLAFBVA 10-3,
1 Jun 2007; OPR: 42 CES/CEY
RELEASABILITY: No restrictions

SIP Procedures if You are Outside a Building.

Upon receiving notice to Shelter in Place:

- Notify other personnel in the vicinity.
- Evacuate the area by moving in an upwind or crosswind direction away from the point of release (if visible).
- If you are already in a vehicle, roll up windows, turn-off the ventilation system, and attempt to safely exit the hazard area. Do not attempt to Shelter-In-Place inside a vehicle unless you have no choice. Vehicles are not air tight and will leak air and allow contamination inside.
- If you cannot evacuate the area, go to the nearest building and Shelter-in-Place.
- Report the incident to emergency services if they are not on scene.

SIP Procedures if You are Outside a Building.

Upon receiving notice to Shelter in Place:

- Notify other personnel in the vicinity.
- Evacuate the area by moving in an upwind or crosswind direction away from the point of release (if visible).
- If you are already in a vehicle, roll up windows, turn-off the ventilation system, and attempt to safely exit the hazard area. Do not attempt to Shelter-In-Place inside a vehicle unless you have no choice. Vehicles are not air tight and will leak air and allow contamination inside.
- If you cannot evacuate the area, go to the nearest building and Shelter-in-Place.
- Report the incident to emergency services if they are not on scene.

SIP Procedures if You are in a Building and the Hazardous Release is Inside the Building.

Upon receiving notice to Shelter in Place:

- Notify other personnel in the vicinity.
- Have the building manager or alternate turn off the heating, ventilation, and air conditioning (HVAC) system.
- If possible, close doors and windows within the release area to contain the hazard.
- Evacuate the building.
- Once outside, move in an upwind or crosswind direction away from the building to a designated assembly point.
- Take accountability and remain at assembly point until directed otherwise by emergency response personnel.
- Report the incident to emergency services if they are not on scene.

SIP Procedures if You are in a Building and the Hazardous Release is Inside the Building.

Upon receiving notice to Shelter in Place:

- Notify other personnel in the vicinity.
- Have the building manager or alternate turn off the heating, ventilation, and air conditioning (HVAC) system.
- If possible, close doors and windows within the release area to contain the hazard.
- Evacuate the building.
- Once outside, move in an upwind or crosswind direction away from the building to a designated assembly point.
- Take accountability and remain at assembly point until directed otherwise by emergency response personnel.
- Report incident to emergency services if they are not on scene.

SIP Procedures if You are in a Building and the Hazardous Release is Outside the Building.

Upon receiving notice to Shelter in Place:

- Notify other personnel in the vicinity.
- Have the building manager or alternate turn off the heating, ventilation, and air conditioning (HVAC) system.
- Obtain SIP kit if it is not stored in your SIP location.
- Proceed to the designated SIP location.
- Once inside, seal off all doors, windows, and vents by utilizing the plastic and tape found in your SIP kit.
- Take accountability of the individuals within the SIP location and stay there until you are given the ALL CLEAR.

NOTE: Reference MAXWELLABVA 10-201 for the SIP location and the location of the SIP kit for your facility.

SIP Procedures if You are in a Building and the Hazardous Release is Outside the Building.


Upon receiving notice to Shelter in Place:

- Notify other personnel in the vicinity.
- Have the building manager or alternate turn off the heating, ventilation, and air conditioning (HVAC) system.
- Obtain SIP kit if it is not stored in your SIP location.
- Proceed to the designated SIP location.
- Once inside, seal off all doors, windows, and vents by utilizing the plastic and tape found in your SIP kit.
- Take accountability of the individuals within the SIP location and stay there until you are given the ALL CLEAR.

NOTE: Reference MAXWELLABVA 10-201 for the SIP location and the location of the SIP kit for your facility.

SHELTER IN PLACE (SIP)

SIP is the action you will take if there is a chemical, biological, or radiological contaminants release into the environment around your facility (home or place of business) that does not allow you to evacuate the area without being exposed to the hazardous substance.



SHELTER IN PLACE (SIP)

SIP is the action you will take if there is a chemical, biological, or radiological contaminants release into the environment around your facility (home or place of business) that does not allow you to evacuate the area without being exposed to the hazardous substance.

