

**BY ORDER OF THE SECRETARY  
OF THE AIR FORCE**



**AIR FORCE INSTRUCTION 13-213**

**1 JUNE 2011**

*Incorporating Change 1, 30 June 2015*

**21ST SPACE WING  
Supplement**

**10 DECEMBER 2015**

***Space, Missile, Command, and Control***

**AIRFIELD DRIVING**

**COMPLIANCE WITH THIS PUBLICATION IS MANDATORY**

---

**ACCESSIBILITY:** Publications and forms are available on the e-Publishing website at [www.e-publishing.af.mil](http://www.e-publishing.af.mil) for downloading or ordering.

**RELEASABILITY:** There are no releasability restrictions on this publication.

---

OPR: HQ AFFSA/A3A

Certified by: AF/A3O-B  
(Mr. Steven Pennington)

Pages: 75

Supersedes: AFI 13-213, 29 January 2008

**(21SW)**

OPR: 21 OSS/OSA

Certified by: 21 OSS/CC  
(Mark A. Hauser, Lt Col)

Pages: 19

Supersedes: 21SWI13-213, 15 April 2013

---

This instruction implements Air Force Policy Directive 13-2, *Air Traffic Control, Airspace, Airfield, and Range Management*. It applies to all Air Force, Air National Guard (ANG), and Air Force Reserve Command (AFRC) organizations (to include contracted locations) that administer an Airfield Driving Program. At joint, shared-use, and overseas airfields, this instruction applies to the facilities that are controlled and used exclusively by the Department of the Air Force, as outlined in real estate documents or letters of agreement. This Air Force Instruction (AFI) may be supplemented at any level, however MAJCOM supplements to include interim changes to previously approved supplements must be routed to Headquarters (HQ) Air Force Flight Standards Agency, Director of Airfield Operations (HQ AFFSA/XA) for coordination prior to certification and approval. Unit (wing or base) level supplements to this AFI must be routed to the responsible MAJCOM Office of Primary Responsibility for Airfield Operations for coordination prior to certification and approval. Refer recommended changes and questions about this publication to the Office of Primary Responsibility (OPR) using the AF Form 847, *Recommendation for Change of Publication*; route AF Form 847 from the field

through the appropriate functional chain of command. The authorities to waive wing/unit level requirements in this publication are identified with a Tier (“T-0, T-1, T-2, T-3”) number following the compliance statement. See AFI 33-360, *Publications and Forms Management*, Table 1.1 for a description of the authorities associated with the Tier numbers. Submit requests for waivers through the chain of command to the appropriate Tier waiver approval authority, or alternately, to the Publication OPR for non-tiered compliance items. This instruction requires the collection and maintenance of information protected by the Privacy Act of 1974, authorized by 10 U.S.C. 8013, Secretary of the Air Force. Ensure that all records created as a result of processes prescribed in this publication are maintained in accordance with (IAW) Air Force Manual (AFMAN) 33-363, *Management of Records*, and disposed of IAW Air Force Records Disposition Schedule (RDS) located in the Air Force Records Information Management System (AFRIMS). The use of the name or mark of any specific manufacturer, commercial product, commodity, or service in this publication does not imply endorsement by the Air Force. The reporting requirements in this AFI are exempt from licensing with a report control symbol (RCS) according to AFI 33-324, *The Air Force Information Collections and Reports Management Program*. See [Attachment 1](#) for a glossary of references and supporting information used in this instruction.

**(21SW)** This supplement implements and extends AFI13-213, *Airfield Driving*. The contents of this instruction applies to all military and civilian personnel conducting ground vehicular operations on the airfield at Peterson Air Force Base, Colorado. This instruction applies to Air National Guard and Air Force Reserve members. Refer recommended changes and questions about this publication to the Office of Primary Responsibility (OPR) using the AF Form 847, *Recommendation for Change of Publication*; route AF Forms 847 from the field through the appropriate functional’ s chain of command. Ensure that all records created as a result of processes prescribed in this publication are maintained IAW AFMAN 33-363, *Management of Records*, and disposed of IAW the Air Force Records Information Management System (AFRIMS) Records Disposition Schedule (RDS). This publication may or may not be supplemented or further implemented/extended.

### ***SUMMARY OF CHANGES***

This document is substantially revised and must be completely reviewed. AFI 13-213, *Airfield Management*, 29 Jan 2008; Chapters 1, 2, 3, 5 thru 7 were rescinded and incorporated into AFI 13-204, *Airfield Operations Volumes 1 and 3*, dated 1 Sep 2010. Major changes include changing the AFI title from *Airfield Management* to *Airfield Driving*, updating airfield driving procedures, training standards and program management. This AFI also incorporates runway incursion prevention methods outlined in the USAF/A/3/5 message Date Time Group: 062240 Zulu Feb 2009. A number of editorial/reference corrections were also made.

**(21SW)** This document is substantially revised and should be completely reviewed. This supplement revises the 21SWI13-213, 15 April 2013. Changes includes defining, describing the implementation of the 21st Space Wing Airfield Driving responsibilities, and procedures for operating vehicles while on the airfield. All previous attachments were removed and several new attachments were added. A new 21SW Form 131, *Private Owned Vehicle (POV) Pass Request* is added as a prescribed form with this supplement.

<b>Chapter 1—GENERAL INFORMATION</b>	<b>5</b>
1.1. Scope and Purpose. ....	5
1.2. Waivers, Recommended Changes and Issuing New Airfield Driving Policy or Procedures. ....	6
1.3. Supplements. ....	7
<b>Chapter 2—RESPONSIBILITIES</b>	<b>8</b>
2.1. HQ AFFSA. ....	8
2.2. MAJCOM OPR for AO. ....	8
2.3. Host Wing Commander or equivalent. ....	8
2.4. Operations Group Commander or equivalent. ....	9
2.5. Unit Commander or equivalent. ....	10
2.6. Wing ADPM. ....	11
2.7. Unit ADPM. ....	13
2.8. Airfield Management (AM). ....	15
2.9. Air Traffic Control Tower (ATCT). ....	16
2.10. Wing Safety. ....	16
2.11. Security Forces Squadron (SFS). ....	16
2.12. Hospital/Medical Treatment Facility. ....	17
2.13. (Added-21SW) Contracting Squadron ensures : ....	17
<b>Chapter 3—AIRFIELD DRIVING INSTRUCTION (ADI)</b>	<b>18</b>
3.1. General. ....	18
3.2. ADI. ....	18
<b>Chapter 4—RADIO COMMUNICATIONS PHRASEOLOGY, DISCIPLINE AND         TECHNIQUES</b>	<b>38</b>
4.1. General. ....	38
4.2. Radio Techniques. ....	38
4.3. Phraseology. ....	38
Table 4.1. Sample Runway Crossing Phraseology. ....	39
Table 4.2. Sample Read back Instructions ....	39
Table 4.3. Sample Hold Short Instructions. ....	40
4.4. Common Use Phrases. ....	40
Table 4.4. Common Use Phrases. ....	40

4.5.	Phonetic Aviation Alphabet. ....	41
Table 4.5.	Phonetic Aviation Alphabet. ....	42
4.6.	DELETED .....	42
<b>Attachment 1—GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION</b>		<b>43</b>
<b>Attachment 1—(21SW) GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION</b>		<b>49</b>
<b>Attachment 2—UNIT AIRFIELD DRIVING PROGRAM MANAGER AND TRAINER(S) APPOINTMENT LETTER</b>		<b>50</b>
<b>Attachment 3—UNIT ADPM TRAINING CHECKLIST</b>		<b>51</b>
<b>Attachment 4—UNIT AIRFIELD DRIVER PROGRAM SELF INSPECTION CHECKLIST</b>		<b>53</b>
<b>Attachment 5—AIRFIELD DRIVING TRAINING DOCUMENTATION AND CERTIFICATION CHECKLIST</b>		<b>57</b>
<b>Attachment 6—AIRFIELD DRIVING QUALIFICATION TRAINING CHECKLIST (CURRICULUM)</b>		<b>59</b>
<b>Attachment 7—TDY PERSONNEL/NON-BASE ASSIGNED CONTRACTORS TRAINING CHECKLIST</b>		<b>64</b>
<b>Attachment 8—(Added-21SW) PETERSON AFB AIRFIELD DIAGRAM</b>		<b>66</b>
<b>Attachment 9—(Added-21SW) PETERSON AFB AIRFIELD MARKINGS</b>		<b>69</b>
<b>Attachment 10—(Added-21SW) PETERSON AFB SIGNS AND LIGHTING</b>		<b>70</b>
<b>Attachment 11—(Added-21SW) PETERSON AFB AIR TRAFFIC CONTROL TOWER VISUAL BLIND SPOTS</b>		<b>74</b>
<b>Attachment 12—(Added-21SW) PETERSON AFB VEHICLE AND PEDESTRIAN CALL SIGNS</b>		<b>75</b>

## Chapter 1

### GENERAL INFORMATION

#### 1.1. Scope and Purpose.

1.1.1. This AFI provides guidance for developing an Airfield Driving Program (ADP) to provide safe ground vehicle operations and pedestrian control on USAF owned and/or operated airfields. It outlines training requirements for all personnel (e.g. military, DoD Civilians, Contractors, etc.) who, as a part of their job, are required to drive unescorted on an airfield.

1.1.2. Personnel required to drive on the airfield must be knowledgeable of and comply with the procedures outlined in this AFI and locally developed Airfield Driving Instruction (ADI). For the purpose of this AFI, the ADI is a wing or base level instruction. (T-1)

1.1.3. In today's complex airfield environment, there are incidents involving aircraft, pedestrians, and ground vehicles at USAF airfields that lead to property damage and personnel injury. One of the most hazardous incidents for an airfield driver to be involved with is a runway incursion. A runway incursion occurs when an aircraft, vehicle or person enters the protected area of a surface designated for the landing and take-off of aircraft without approval from Air Traffic Control Tower (ATCT). Runway incursions have the potential to result in aircraft endangerment and loss of life. While there are several factors involved in a runway incursion, the leading causes of these incidents result from a failure to follow procedures, inadequate vehicle operator training, and loss of situational awareness. Therefore, strict adherence to the procedures in this AFI is essential to preventing aircraft-vehicle mishaps and personnel injury on the airfield.

1.1.4. Shared-Use Airfields. Airfield Management (AM) personnel at shared-use airfields (e.g. Air National Guard, Air Force Reserve units) must work with the civil airport manager to develop and implement local airfield driving procedures where applicable. (T-1)

1.1.4.1. **(Added-21SW)** The City of Colorado Springs (COS) Airport operates and maintains each runway, taxiway, ILS critical area and safety area available for military and air carrier operations to FAA standards. Control and maintenance includes the markings, signs, lighting systems, wind direction indicators, vegetation control and snow/ice removal associated with these facilities.

1.1.4.2. **(Added-21SW)** The COS Airport Federal Aviation Administration (FAA) Control Tower provides 24-hour service and controls all ground movement of aircraft and vehicles on all runways, taxiways, ILS critical areas and safety areas.

1.1.4.3. **(Added-21SW)** Peterson Air Force Base (PAFB) personnel are not allowed to operate a vehicle on any portion of COS Airport property without authorization/certification from COS Airport Operations and possessing/displaying a Security Identification Display Area (SIDA) badge. The singular exception for using any portion of the COS airport without a SIDA badge is the allowance for 302nd Air Wing maintenance personnel towing/turning aircraft in close proximity to taxiway bravo. These personnel are required to maintain situational awareness and ensure no aircraft or emergency vehicles movement.

1.1.5. Contingency Locations. At contingency locations, the Senior Airfield Authority (SAA) or equivalent may authorize deviations to airfield driving procedures outlined in this AFI to support tactical or combat operations/situations. Authority must not be delegated. (T-1)

1.1.5.1. In the interest of safety to airfield and flight operations, deviations to this AFI should be by exception only and include a Risk Management assessment. Factors to consider for deviations include but are not limited to the length of time the operation has been in place and available resources.

1.1.5.2. If time permits, or at the discretion of the SAA or equivalent, forward proposed deviations to the MAJCOM OPR for AO, or equivalent, for an operational review.

1.1.5.3. Provide the MAJCOM OPR for AO, or equivalent, an informational copy of approved deviations to assist with establishing compliance priorities, providing oversight, and developing area of responsibility execution activities.

## 1.2. Waivers, Recommended Changes and Issuing New Airfield Driving Policy or Procedures.

### 1.2.1. Waiver Authority.

1.2.1.1. Waiver authority for Tier 0: Non-AF authority (e.g. Federal Aviation Administration).

1.2.1.2. Waiver authority for Tier 1: MAJCOM/CC (delegable no lower than the MAJCOM/A3, with the concurrence of HAF/A3).

1.2.1.2.1. DELETED

1.2.1.2.2. DELETED

1.2.1.2.3. DELETED

1.2.1.3. Waiver authority for Tier 2: MAJCOM/CC (delegable no lower than MAJCOM/A3).

1.2.1.4. Waiver authority for Tier 3: Wing/CC (delegable no lower than Group/CC or equivalent).

1.2.1.5. Waiver authority for Non-tiered compliance items targeted for functions above the wing or equivalent is AFFSA/XA.

### 1.2.2. Waiver Process.

1.2.2.1. Process waiver requests IAW AFI 33-360, paragraph 1.9.5. (T-1) Units may use the AF Form 4058, *Airfield Operations Policy Waiver* to process waivers to this instruction. **Note:** All waiver requests to this instruction must be reviewed and coordinated on by the Wing Airfield Driving Program Manager (Wing ADPM), Airfield Operations Flight Commander (AOF/CC) or civilian equivalent and Wing Safety. (T-1)

1.2.2.2. If deemed necessary, submit additional data (e.g., Letters of Procedure (LOP), airspace maps, traffic patterns, airfield diagrams, etc.) to substantiate the waiver request.

1.2.2.3. AOF/CC or civilian equivalent will forward a copy of the approved waiver to AFFSA/XA ([hqaffsa.a3a@us.af.mil](mailto:hqaffsa.a3a@us.af.mil)) for publication OPR's situational awareness,

consolidation/filing into the master waiver file, and to identify/track possible trends. (T-1)

1.2.2.4. Tier 0 waiver: Following a MAJCOM/CC (delegable no lower than MAJCOM Director) request, the appropriate MAJCOM functional OPR will submit the package to AFFSA/XA. AFFSA/XA will submit the package to the publication OPR (i.e. external agency/Non-AF authority) for concurrence/approval. Package results will be provided to the appropriate MAJCOM functional OPR.

**Exception:** Waivers to FAA publications must be coordinated with the MAJCOM OPR for Airfield Operations (AO) and the appropriate Air Force Representative (AFREP). (T-0) Submit the waiver package and Safety Risk Management Document (SRMD) through the MAJCOM OPR for AO to AFFSA/XA. (T-0) Upon AFFSA/XA concurrence to proceed, the AFREP will forward the waiver package and SRMD to FAA for processing. The AFREP will monitor the waiver process and inform the requesting unit, MAJCOM OPR for AO, and AFFSA/XA of FAA's determination. (T-0)

1.2.2.5. Tier 1 waiver: Following a MAJCOM/CC (delegable no lower than MAJCOM Director) request, the appropriate MAJCOM functional OPR will submit the package to AFFSA/XA. AFFSA/XA will submit the package to HAF/A3 (certifying official) for concurrence. Package results will be provided to the appropriate MAJCOM functional OPR.

1.2.2.6. Tier 2 waiver: Staff waiver requests in accordance with MAJCOM guidance. (T-2)

1.2.2.7. Tier 3 waiver: Staff waiver requests in accordance with Wing guidance. (T-3)

1.2.3. Issuing New Airfield Driving Policy or Procedures. In accordance with AFI 33-360, *Publications Management Program*, a Guidance Memorandum (GM) or Interim Change (IC) will be used to prescribe procedures and guidance pending revision of this AFI. New USAF procedures/guidance will be distributed through the MAJCOM OPR for AO. GMs and ICs will be posted on the AFDPO website until formalized in this publication.

1.2.4. **Recommended Changes.** Use the AF Form 847, *Recommendation for Change of Publication* to submit recommended changes to this AFI. Recommended changes must be coordinated on by the Wing ADPM, AOF/CC and host Wing/CC or equivalent then forwarded to the MAJCOM OPR for AO. The MAJCOM OPR for AO will review/coordinate on proposed changes prior to forwarding to HQ AFFSA/XA for final disposition.

**1.3. Supplements.** This AFI may be supplemented at any level. Supplements must be routed through the MAJCOM OPR for AO technical/functional coordination and HQ AFFSA/CC for mandatory coordination prior to certification and approval. Base level ADIs are considered a supplement to this AFI. (T-1)

## Chapter 2

### RESPONSIBILITIES

#### 2.1. HQ AFFSA.

- 2.1.1. Develops USAF airfield driving operations, procedures, and training standards.
- 2.1.2. Utilizes the Air Force Safety Automated System (AFSAS) to monitor and track airfield driving related Hazardous Air Traffic Report (HATRs) and Controlled Movement Area Violations (CMAVs).
- 2.1.3. Approves MAJCOM supplement(s), or equivalent, guidance to this AFI.
- 2.1.4. Reviews and provides final disposition on waiver request(s) to this AFI.
- 2.1.5. Supports AF Runway Safety Action Team (AFRSAT) programs, in accordance with AFI 13-204 Volume 2, *Airfield Operations Standardization and Evaluations*.
- 2.1.6. Develops mandatory briefing/training items to provide education, training, and awareness on airfield driving and to enhance flight safety.

#### 2.2. MAJCOM OPR for AO.

- 2.2.1. Supplements USAF airfield driving guidance as needed. **Note:** All supplements or equivalent guidance, to include interim changes to previously approved supplements, must be routed to HQ AFFSA/A3A for coordination prior to obtaining certification and approval to publish.
- 2.2.2. Reviews and coordinates on the ADI prior to implementation and compliance.
- 2.2.3. Reviews and evaluates airfield driving incidents, causes, observations and recommendations.
- 2.2.4. Conducts AFRSAT programs, in accordance with AFI 13-204 Volume 2.
- 2.2.5. Reviews and coordinates on wing/base level supplements to this AFI prior to certification and approval for implementation.
- 2.2.6. Reviews and provides endorsing comments on all AF IMT 4058s and AF IMT 847s.

#### 2.3. Host Wing Commander or equivalent.

- 2.3.1. Designates personnel and agencies to support the ADP. (T-3)
- 2.3.2. May reinstate airfield driving privileges in writing to perform mission essential duties following suspension or revocation of an individual's civilian driver's license and/or base driving privileges. See AFI 31-204, *Air Force Motor Vehicle Traffic Supervision*, Chapter 2 for additional information. Authority must not be delegated. (T-3)
- 2.3.3. Approves publication of the ADI. (T-3)
- 2.3.4. Requests an AFRSAT through the MAJCOM OPR for AO if there are recurring problems with runway incursions. (T-3) See AFI 13-204, Volume 2, for additional information.
- 2.3.5. Reviews runway incursion and CMAV incidents and corrective actions taken. (T-3)

## 2.4. Operations Group Commander or equivalent.

2.4.1. Reviews CMAVs and corrective actions taken. (T-3)

2.4.2. Convenes a Runway Incursion Prevention Working Group (RIPWG) no later than 30 days following the occurrence of a third runway incursion (within a six month period). (T-3)

2.4.2.1. The RIPWG will include OSS/CC, AOF/CC, Airfield Manager (AFM), Wing ADPM, Tower Chief Controller, Wing Safety, Unit Commanders and/or unit ADPMs, and other organizational leadership as determined locally. (T-3) RIPWG shall take the following actions:

2.4.2.1.1. Analyze each runway incursion and corrective actions taken. (T-3)

2.4.2.1.2. Evaluate the airfield driving operating procedures/standards and airfield configuration (to include signs/markings/lighting) to determine if corrective actions are needed. (T-3)

2.4.2.1.3. Develop strategies to prevent the reoccurrence of runway incursions. (T-3) Examples include but are not limited to:

2.4.2.1.3.1. Increase or improve local training or testing materials.

2.4.2.1.3.2. Implement mandatory briefings to all airfield drivers, aircrew and ATC personnel, as applicable.

2.4.2.1.3.3. Limit runway crossings and/or limit crossings to certain taxiways/road intersections.

2.4.2.1.3.4. Increase penalty for CMAVs.

2.4.2.1.3.5. Alter the shape and/or increase the size of the Controlled Movement Area (CMA).

2.4.2.1.3.6. Determine if additional signage, markings, and lighting are needed in high-risk areas. Examples of additional signs, markings, and lighting include the following:

2.4.2.1.3.6.1. Installing “Stop, Do Not Enter, Contact Air Traffic Control Tower” signs/markings at runway hold lines and roads leading to the runway.

2.4.2.1.3.6.2. Increasing visibility of runway hold position markings by increasing the width of the yellow stripes from six to 12 inches. **Note:** This option requires coordination with Civil Engineer and Wing Safety and a work order request to change is implemented uniformly over the entire airfield.

2.4.2.1.3.6.3. Painting runway hold position signs on pavement prior to the runway hold position markings. (See FAA AC 150/5340-1, *Standards for Airport Markings*) **Note:** This option requires coordination with Civil Engineer and Wing Safety and a work order request to change is implemented uniformly over the entire airfield.

2.4.2.1.3.6.4. Painting FAA enhanced taxiway centerline marking prior to the runway hold position markings. **Note:** This option requires coordination with Civil Engineer and Wing Safety and a work order request to change is

implemented uniformly over the entire airfield.

2.4.2.1.3.6.5. Installing runway guard lights (RGL), if applicable.

2.4.2.1.3.6.6. Installing runway status lights (normally associated with a Category II/Airport Surveillance Detection Equipment).

2.4.2.1.3.6.7. Procuring vehicle-tracking devices to include Global Position System, ground radar, or video surveillance. **Note:** Coordinate with MAJCOM OPR for AO prior to the procurement and/or use of new systems/technology.

2.4.2.1.3.6.8. Installing additional FM radio repeaters for Air Traffic Control and the base station/ramp net.

2.4.2.1.3.6.9. Installing Location Signs.

2.4.2.1.3.7. Coordinate with MAJCOM OPR for AO prior to implementing new procedures and /or purchasing airfield support systems such as signs, marking and lighting.

2.4.2.1.3.8. When required, ensure an airfield waiver is processed and approved.

2.4.2.2. Provide a summary of the RIPWG's analysis and recommendations during the next Airfield Operations Board (AOB). (T-3)

2.4.2.3. Publish minutes of the RIPWG and provide an informational copy to the MAJCOM OPR for AO within 30 calendar days. (T-3)

## 2.5. Unit Commander or equivalent.

2.5.1. Appoints a primary and alternate unit ADPM in writing (*normally the Vehicle Control Officer or Vehicle Control Noncommissioned Officer*) to manage training and testing requirements of unit personnel who are required to operate a vehicle on the airfield. Forward a copy of the appointment letter to the Wing ADPM. (T-3)

2.5.1.1. Unit ADPMs must be at least SSgt/7-level or above, or civilian equivalent unless manning constraints absolutely prohibit; then use most qualified SSgt/5-level or civilian equivalent available. (T-3) Unit ADPMs must possess an AF Form 483 with the same level of access as the personnel he/she is training (i.e. Unit ADPMs with members who require CMA access, must also have CMA access). (T-2) Forward a copy of the waiver to the Wing ADPM. (T-3)

2.5.1.2. Ensures a replacement unit ADPM is appointed in writing and trained by the Wing ADPM at least 30 days prior to releasing the current unit ADPM. (T-3)

2.5.2. Certifies personnel are qualified to drive on the airfield. Authority may be delegated in writing to unit ADPMs. (T-3)

2.5.3. Ensures unit personnel complete the required training and testing requirements outlined in this instruction and ADI prior to obtaining an AF Form 483, *Certificate of Competency* to operate a vehicle on the airfield. (T-3)

2.5.4. Limits the number of personnel authorized to drive on the airfield to the absolute minimum necessary to accomplish the mission. (T-3)

2.5.5. Suspends a unit member's airfield driving authorization upon suspension or revocation of their civilian driver's license, and/or base driving privileges. Notify the Wing ADPM and unit ADPM of the individuals' suspension/revocation. **Note:** Process request for reinstatement of airfield driving authorization according to paragraph 2.3.2 (T-3)

2.5.6. Ensures unit ADPMs can satisfactorily manage the number of airfield drivers within their organization. Large organizations (e.g. consists of two or more flights) should consider having more than one unit ADPM to provide effective program management and quality training, thus reducing the potential for airfield driving violations and runway incursions. Conversely, small organizations (e.g. normally a flight level or smaller) can combine and or consolidate their ADP with a unit. (T-3)

2.5.7. Appoints unit airfield driving trainers in writing to conduct and document practical day and night (as applicable) airfield familiarization training and the practical driving test as outlined in this AFI and ADI. Trainers must have completed the AF Training Course or civilian/other DoD service equivalent (Contractors are exempt from this requirement). Forward a copy of the appointment letter to the Wing ADPM. (T-3) **Note:** This letter may be consolidated with the unit ADPM appointment letter. See **Attachment 2** for an example appointment letter.

2.5.8. Ensures review of individual's Driving Record via Security Forces Management Information System (SFMS) or AF Form 1313 (located at Security Forces) to determine their qualifications before permitting them to operate a vehicle and or equipment on the airfield. (T-3)

2.5.9. Ensures unit ADPMs and designated trainers give a practical day and night (as applicable) airfield familiarization training and practical driving test to all new vehicle operators before they are allowed to drive vehicles on the airfield. (T-3)

2.5.10. Ensures unit airfield drivers limit their access on or across the runway to mission essential duties only. (T-3)

2.5.11. Participates in the RIPWG. (T-3)

**2.6. Wing ADPM.** The Deputy Airfield Manager (or civilian equivalent) serves as the Wing ADPM to provide overall ADP management and oversight. The preferred grade of the Wing ADPM is MSgt/E-7 or civilian equivalent. (T-3)

2.6.1. Develops an ADI to establish the Wing ADP. (T-3)

2.6.1.1. The ADI must be a stand-alone publication to this instruction that is coordinated and approved by the MAJCOM OPR for AO prior to final publication and implementation. **Note:** AFRC and ANG locations at shared-use airfields shall coordinate their ADI's with the civil airport manager prior to MAJCOM OPR for AO review. (T-1)

2.6.1.1.1. For standardization, use 13-213 as the publication series and Airfield Driving as the title for ADI. (T-3)

2.6.1.1.2. Refer to Chapter 3 for items that must be included in the ADI. (T-1)

2.6.1.2. The wing may develop a supplement to this AFI. Refer to paragraph 1.2. for staffing guidance. (T-1)

2.6.2. Uses **Attachment 3** or electronic equivalent to conduct and document training on a unit ADPM. (T-3)

2.6.3. Provides unit ADPMs a copy of the ADI, training curriculum, and testing materials to manage unit ADP. (T-3)

2.6.4. Conducts a review of the ADI to include procedural guidance, training/testing materials, diagrams, figures, and any other supportive information for currency and accuracy at least annually. Use a Memorandum for Record (MFR), log, or electronic equivalent to document ADI program reviews and maintain a file copy in accordance with Air Force RDS, Table 13-06, Rule 4.00. (T-3)

2.6.5. Conducts quality control measures to monitor the effectiveness of unit airfield driver training programs. (T-3) At a minimum, the Wing ADPM will:

2.6.5.1. Routinely monitor ramp net radio for proper terminology/phraseology and discipline. (T-3)

2.6.5.2. Conduct random spot checks for enforcement and compliance with the ADI. At a minimum, a spot check will include a check of the driver's AF Form 483 for accuracy/currency, the availability/currency of AF Visual Aids (e.g., AFVA 11-240, *Airports Signs and Markings*, AFVA 13-221, *Control Tower Light Signals*, AFVA 13-222, *Runway/Controlled Movement Area Procedures*) and the availability/currency of the local airfield diagram. (T-3)

2.6.5.2.1. Report violations detected during spot checks to the AFM, AOF/CC, individual's Unit Commander and ADPM. (T-3)

2.6.5.2.2. Report and document results of spot checks in the "status of airfield driving" section of AOB. (T-3)

2.6.5.3. Inspect each unit ADP at least annually (every 12 months) for program integrity and compliance with the ADI. (T-3)

2.6.5.3.1. Use **Attachment 4** (available for download at the HQ AFFSA Airfield Operations SharePoint website) or electronic equivalent to conduct and document the inspection of the unit ADP. (T-3)

2.6.5.3.2. Provide inspection results to the unit's commander via MFR or electronic equivalent and brief at the next quarterly AOB. (T-3)

2.6.6. Develop proactive approaches utilizing local resources, such as base paper, commander's access channel (TV), e-mail advisories, unit briefings, etc. to educate, inform and update personnel on airfield changes, trends and special events. (T-3) Examples include but are not limited to exercises, air shows, static displays, driving violations, runway/taxiway closures and inclement weather driving conditions.

2.6.7. Maintain a Wing ADPM Continuity Binder or electronic equivalent in the TAB format below. (T-3)

2.6.7.1. TAB A: Unit ADPM appointment letter(s).

2.6.7.2. TAB B: Airfield Driving Instruction (ADI).

2.6.7.3. TAB C: Annual Program Inspection Results.

2.6.7.4. TAB D: Unit ADPM Training Documentation.

2.6.7.5. TAB E: Current list of unit assigned airfield drivers.

2.6.7.6. TAB F: USAF Airfield Driving CBT, Training Curriculum, Test/Answer Key.

2.6.7.7. TAB G: Unit airfield driving requirements as applicable (e.g. Fire Trucks, Fuel Trucks, K-loaders, etc.).

2.6.7.8. TAB H: Airfield Violations/Corrective actions.

2.6.7.9. TAB I: References (e.g., AFMAN 24-306, *Manual for Wheeled Vehicle Operator*, Chapter 20, AFI 91-203, *Air Force Consolidated Occupational Safety Instruction*, Chapter 24, AFI 21-101, *Aircraft and Equipment Maintenance Management*, etc.) **Note:** References may be a paper or electronic copy.

2.6.7.10. TAB J: Miscellaneous information (e.g. Meeting Minutes, Digest Articles, RIPWG, etc.).

2.6.8. Conducts semi-annual meetings with unit ADPMs to provide training, brief CMAVs, trends, etc. (T-3)

2.6.8.1. This meeting may be done in-conjunction with the base Vehicle Control Officer/Vehicle Control Non-Commissioned Officer meeting.

2.6.8.2. Use a MFR or electronic equivalent to document semi-annual meeting minutes. Maintain a file copy of the current calendar year in Tab J of the Wing ADPM Continuity Binder or electronic equivalent. (T-3)

2.6.9. Coordinates on unit airfield driving lesson plans and tests. (T-3)

2.6.10. Ensures unit ADPMs provide appropriate training to TDY personnel and Non-base assigned contractors based on type, location, time and duration of work. See paragraph [3.2.9](#) for additional information. (T-3)

2.6.11. Provides classroom training as determined locally.

2.6.12. Participates in the RIPWG. (T-3)

2.6.13. Provides unit ADPM a standardize spreadsheet or electronic equivalent to monitor and track unit personnel authorized to drive on the airfield. At a minimum, the list of airfield drivers will include the individual's full name, rank, unit, AF Form 483 certificate number, restrictions (e.g. daytime or ramp only) and refresher training due date. (T-3) **Note:** A sample spreadsheet is available for download at the HQ AFFSA Airfield Operations SharePoint website.

## 2.7. Unit ADPM.

2.7.1. Must be trained and certified to drive on the airfield. (T-1)

2.7.2. Administers the unit airfield driver's training program according to this AFI and ADI. (T-1)

2.7.3. Validates unit personnel complete airfield driver training and certification prior to issuance of an AF Form 483. (T-1) (See [Attachment 5](#))

- 2.7.4. Identifies, documents, and tracks personnel requiring access to the CMA, non-CMA, or restricted airfield driving as applicable (e.g. Ramp only, Daylight Hours only, etc). (T-3)
- 2.7.5. Ensures unit personnel who are not trained and certified to drive at night AF Form 483 indicates restricted access (e.g. "*AUTHORIZED DAYLIGHT HOURS ONLY*"). If the individual later requires driving on the airfield at night, ensure the practical airfield familiarization training and practical driving test is conducted and documented prior to updating the AF Form 483. (T-1)
- 2.7.6. Ensures designated airfield driving trainers conduct and document practical day and night (as applicable) airfield familiarization training and practical driving test on unit personnel prior to issuance of an AF Form 483. (T-1)
- 2.7.7. Ensures unit personnel authorized to drive on the CMA have completed all the required training and AF Form 483 is annotated "CMA Access" by AM. (T-1)
- 2.7.8. Ensures unit personnel have a valid state or country driver's license to operate privately owned, government (may also require a government driver license), or contractor owned/leased vehicles on the airfield. At overseas locations, refer to MAJCOM directives for additional guidance. **Note:** Unless otherwise directed, personnel operating non-vehicular/equipment (e.g. Segway, bicycle, tricycle, golf cart, all-terrain vehicle, mower, aerospace ground equipment, etc.) are exempt from state and/or country driver's licensing requirements. (T-3)
- 2.7.9. Ensures unit personnel are qualified to drive the vehicle(s) they will be operating on the airfield. This includes any other additional training required to operate vehicles in various field conditions (e.g. blackout or Night Vision Devices (NVD), Mission Oriented Protective Posture (MOPP) gear, etc.). (T-3)
- 2.7.10. Maintains current and accurate airfield driving training records, associated forms and listing of unit personnel authorized to drive on the airfield. (T-2) **Note:** This data may be maintained electronically.
- 2.7.11. Ensures personnel that will have duties requiring them to operate a vehicle on the airfield in a deployed/contingency environment are trained and possess a valid AF Form 483. (T-1)
- 2.7.12. Schedules personnel that will drive on the CMA for color vision testing according to the ADI. (T-1)
- 2.7.13. Conducts and documents annual refresher training on unit airfield drivers. **Note:** Document completion of refresher training on the reverse side of the individual's AF Form 483. Maintain a copy of the most current refresher training completion date on file in the unit. (T-2)
- 2.7.14. Maintains an ADP Continuity Binder (or electronic equivalent) in the TAB format outlined in paragraph [2.6.7](#) (T-3)
- 2.7.15. Trains unit airfield driver trainers on how to conduct and document training for newly assigned unit airfield drivers. (T-2)
- 2.7.16. Attends Wing ADPM semi-annual meeting and/or briefing regarding airfield driving. (T-3)

- 2.7.17. Ensures TDY personnel that are hosted by the unit receive local airfield driving training as outlined in this AFI and ADI. (T-2)
- 2.7.18. Use **Attachment 4** or electronic equivalent to conduct and document a self-inspection of unit's ADP at least annually. Forward a copy of the inspection results to the Wing ADPM. (T-3)
- 2.7.19. Develops procedures to disseminate airfield driving related information (e.g. articles, training, etc.) to unit airfield drivers. (T-3)
- 2.7.20. Conducts random spot checks for enforcement and compliance with the ADI. Correct all discrepancies noted. (T-3)
- 2.7.21. Provides classroom training as determine locally.
- 2.7.22. Maintains current and accurate training and testing materials. (T-3)
- 2.7.23. Notifies Unit Commander and Wing ADPM in writing after suspending an individual's airfield driving privileges. (T-3)
- 2.7.24. Participates in the RIPWG. (T-3)
- 2.7.25. Annually validates the number of personnel authorized to drive on the airfield to include justification for individuals required to enter or cross the CMA. Forward results to the Wing ADPM. (T-2)
- 2.7.26. **(Added-21SW)** Review PADS Tab E monthly to review status/currency of training, and verify personnel listed in the program still have a requirement to drive on the airfield.
- 2.7.27. **(Added-21SW)** Administer required airfield driving tests, provided by AM on PADS Tab F, to verify competency IAWAFI 13-213, paragraph 3.2.4.3.1.- 3.2.4.3.5., and this supplement.

## 2.8. Airfield Management (AM).

- 2.8.1. Serves as the OPR for the ADP. **Note:** At contract locations, the AOF/CC shall be designated as the OPR for the ADI. The AOF/CC shall designate the AM Quality Assurance individual (military or DoD Civilian) as the point of contact for the ADI. The contract AM office retains responsibility for development of the ADI and management oversight of the ADP. (T-1)
- 2.8.2. Conducts random spot checks for enforcement and compliance with the ADI in conjunction with periodic airfield checks. (T-3)
- 2.8.2. **(21SW)** Results of random spot checks are entered and maintained in PADS.
- 2.8.3. Routinely monitors radios for proper radio terminology/phraseology and discipline. Immediately respond to and correct improper radio usage when notified by the Air Traffic Control Tower (ATCT) or through the monitoring of radio frequencies. Document corrective actions on an AF Form 3616, *Daily Record of Facility Operation* or electronic equivalent. (T-3)
- 2.8.4. The AFM, Wing ADPM, or NCOIC, Airfield Management Operations will sign off the airfield driving requirement on pre-deployment checklists to ensure deploying personnel are fully trained and possess a valid AF Form 483 for airfield driving. (T-3)

2.8.5. Imposes and publishes restricted driving routes as required. (T-2)

2.8.6. Responds to reported or suspected airfield driving violations. (T-3) At a minimum, AM personnel will:

2.8.6.1. Escort individuals off of the airfield. (T-3)

2.8.6.2. Confiscate individuals AF Form 483. (T-3)

2.8.6.3. Request a statement from individual(s) suspected of committing an airfield driving violation(s). (T-3)

2.8.6.4. Document and report the incident to the Wing ADPM, AFM and AOF/CC. (T-3)

2.8.7. Participates in the RIPWG. (T-3)

## **2.9. Air Traffic Control Tower (ATCT).**

2.9.1. Controls all aircraft, vehicle, and approved pedestrian traffic on the CMA by two-way radio communications or, in the event of lost communications, by light gun signals. If use of light gun signals is unsuccessful when controlling vehicle or pedestrian traffic, contact AM to have vehicle and/or pedestrian traffic escorted off the CMA. (T-1)

2.9.2. Reports known airfield/CMA violations and problems with vehicle operator radio communications to AM. Assists AM in identifying and locating violators or any unauthorized personnel and vehicles. (T-3)

2.9.3. Participates in the RIPWG. (T-3)

## **2.10. Wing Safety.**

2.10.1. Coordinates on local directives and/or operating instructions that establish vehicle traffic flow patterns and vehicle parking plans on the airfield. (T-2)

2.10.2. Coordinates on lesson plans and tests for vehicle operations on the airfield. (Reference AFI 91-203, Chapter 24) (T-3)

2.10.3. Participates with the Wing ADPM in investigating airfield driving incidents, HATRs, CMA violations. Provide a copy of all Class E CMA violation report submittals (initial, status, final) to AOF/CC for review/concurrence as outlined in AFMAN 91-223, *Aviation Safety Investigations and Reports*. (T-1)

2.10.4. Participates in the RIPWG. (T-3)

2.10.5. Reviews CMA violations for trends. (T-3)

## **2.11. Security Forces Squadron (SFS).**

2.11.1. Monitors airfield vehicle operations for ADI compliance. (T-3)

2.11.2. Enforces all traffic rules and directives on the airfield. (T-3)

2.11.3. Ensures unauthorized vehicles are prohibited from operating on the airfield and informs AM of violations. (T-3)

2.11.4. Detains all unauthorized Privately Owned Vehicles (POVs) driving on the airfield and notifies AM. (T-3)

2.11.5. Assists in escorting violators (as needed) to AM and issues appropriate citations for violations. (T-3)

2.11.6. Provides assistance when requested by AM or the ATCT to apprehend airfield driving violators and remove unauthorized personnel from the airfield. (T-3)

2.11.7. Complies with all procedures outlined for entry into the CMA. (T-3)

2.11.8. Participates in the RIPWG. (T-3)

2.11.9. Coordinate with the Wing ADPM to establish a designated response location in support of In-flight/Ground emergencies and or other emergency situations. (T-3)

## **2.12. Hospital/Medical Treatment Facility.**

2.12.1. Administers color vision screening as determined in the ADI. (T-3)

2.12.1. (21SW) 21 AMDS/SGPF conduct color vision testing for personnel required to operate a vehicle on the CMA. Annotate results of color vision testing on Attachment 5, *Airfield Driving Training Documentation and Certification Checklist, section III*, or provide any suitable documentation (e.g. memorandum, note) annotating color vision testing results.

2.12.2. Documents color vision test results as determined in the ADI. (T-3)

2.12.3. Coordinate with the Wing ADPM to establish a designated response location in support of In-flight/Ground emergencies and or other emergency situations. (T-3)

**2.13. (Added-21SW) Contracting Squadron ensures :** Airfield construction or other projects that affect the airfield environment contain requirements for contractor personnel to comply with the provisions of AFI 13-213 and this supplement.

## Chapter 3

### AIRFIELD DRIVING INSTRUCTION (ADI)

**3.1. General.** This chapter provides specific requirements for developing and implementing an ADI to control ground vehicles and equipment operating on the airfield.

**3.2. ADI.** The ADI must contain the following:

3.2.1. **Responsibilities.** Outline wing and/or base level responsibilities of the key personnel involved in the ADP (e.g. Wing/CC, OG/CC, Unit/CC, Wing ADPM, unit ADPMs, AM, SF, ATCT, Wing Safety, Hospital/Medical Treatment Facility). (T-3)

3.2.1. **(21SW)** Responsibilities are outlined in AFI 13-213, Chapter 2, and this supplement.

3.2.2. **AF Form 483 Issuance.** Outline wing and/or base level procedures for issuing an AF Form 483 to base assigned personnel, TDY personnel and Non-base assigned contractors requiring airfield driving privileges. Include requirements for issuance of an AF Form 483 to individuals requiring Non-CMA, CMA, Runway and restrictions as applicable (e.g. Ramp only, Daylight Hours only, etc.) (T-1)

3.2.2. **(21SW)** AF Form 483, *Certificate of Competency* issuance is accomplished after all training and testing requirements are satisfied as per AFI13-213 and this supplement. AF Form 483s are issued in Building 122 at the *Airfield Operations Front Counter*. All locally qualified Airfield Management personnel are delegated the authority to sign AF Form 483s.

3.2.2.1. The AFM, Wing ADPM, and other designated AM representatives are responsible for signing AF Form 483s. (T-1)

3.2.2.2. Authority for signing AF Form 483 must not be delegated outside AM. (T-1)

3.2.2.3. All base assigned personnel (e.g. military, DoD civilian, Contractor, etc.) required to operate a vehicle or non-vehicular/equipment (e.g. Segway, bicycle, tricycle, golf cart, all-terrain vehicle, mower, aerospace ground equipment, etc.) on the airfield, must complete all airfield drivers' training and testing requirements outlined in this AFI and the ADI prior to issuance of an AF Form 483. **Note:** An AFSC or career field training (e.g. aircraft maintenance, aircrew, fire and emergency services, security forces, transportation, etc.) is not a substitute for completion of airfield driving training and testing requirements outlined in this AFI. **Note:** Section II, item 1 on Attachment 5 is not applicable for non-vehicular/equipment. (T-1)

3.2.3. **Training criteria.** Outline wing and/or base level airfield driving training requirements. All locally developed training curriculum and training materials, to include PowerPoint slides, videos, Computer Based Training (CBT), checklist(s), and lesson plan(s) used in training airfield drivers will be prescribed by the ADI. Include an OPR and currency date on training materials. (T-3)

3.2.3. **(21SW)** Training references and testing materials are available on the Peterson Airfield Driving SharePoint (PADS) Tab F at: <https://eis.afspc.af.mil/unit/21sw/21oss/ADP/Airfield%20Driving%20Program/default.aspx>

3.2.3.1. Use **Attachment 5** (available for download at the HQ AFFSA Airfield Operations SharePoint website) or electronic equivalent to document airfield drivers' training and certification on all newly assigned or employed/hired personnel. Units may incorporate local requirements to Airfield Driving Training Documentation and Certification Checklist. (T-2)

3.2.3.1. (21SW) Attachment 5, *Airfield Driving Training Documentation and Certification Checklist*, is available on the Peterson Airfield Driving SharePoint (PADS) Tab F at: <https://eis.afspc.af.mil/unit/21sw/21oss/ADP/Airfield%20Driving%20Program/default.aspx>

3.2.3.2. Use **Attachment 6** (available for download at the HQ AFFSA Airfield Operations SharePoint website) or electronic equivalent as an on-the-job training checklist/curriculum to conduct and document airfield drivers' qualification training on all newly assigned/hired personnel. Units may incorporate local requirements to Airfield Driving Qualification Training Checklist (Curriculum) Checklist. (T-2)

3.2.3.2. (21SW) Attachment 6, *Airfield Driving Qualification Training Checklist* (curriculum), is available on the Peterson Airfield Driving SharePoint (PADS) Tab F at: <https://eis.afspc.af.mil/unit/21sw/21oss/ADP/Airfield%20Driving%20Program/default.aspx>

3.2.3.3. Completion of the USAF Airfield Driving CBT (accessible on the Advanced Distributed Learning Website, <https://golearn.csd.disa.mil/kc/login/login.asp>) is required for all wing and/or base assigned airfield drivers prior to issuance of an AF Form 483. **Note:** Newly assigned or hired individuals may use a prior USAF Airfield Driving CBT completion date to fulfill this requirement if date completed is within the last 12 months. (T-1)

3.2.3.4. Classroom training as determined locally.

3.2.3.5. Practical Day and Night (as applicable) Airfield Familiarization Training. At a minimum, the practical airfield drivers training involves taking the individual out on the airfield to show them how to get to and from their work areas. Use the Airfield Driving Training Documentation and Certification Checklist to document completion of training. (T-1) (See **Attachment 5**)

3.2.3.6. (Added-21SW) Schedule and accomplish SIDA badge training/certification with the COS Airport Operations. SIDA badge training/certification is an annual requirement tracked and managed by COS Airport Operations. The Wing Airfield Driving Program Manager or personnel is the liaison with COS Airport Operations.

3.2.3.6.1. (Added-21SW) The following information is to notify SIDA badge holders of the potential negative consequences for losing a SIDA badge or the failure to return a SIDA badge. The Colorado Springs Airport Authority may levy a fine of one hundred dollars to a SIDA badge owner for the loss of a SIDA badge or the failure to return SIDA badge to the COS Airport Operations prior to a permanent change of station move. The Colorado Springs Airport Authority independently and solely adjudicates and administers this fine. Peterson Air Force Base is not involved in the process, administration or adjudication of the SIDA badges. If you have

questions about this process please contact the Colorado Springs Airport Authority, Administration Office.

3.2.4. **Testing requirements.** Outline procedures and responsibilities for administering test(s). **Note:** All base assigned personnel (e.g. military, DoD Civilian, Contractor, etc.) required to operate a vehicle on the airfield must pass all required test(s) prior to issuance of an AF Form 483. Training and testing material should be made available in the predominant host nation language as applicable. All tests will be administered closed book. **Note:** Written tests may be consolidated as long as the minimum test questions are covered and clearly defined by sections (e.g. General Knowledge, Communication, Runway Incursion Prevention, etc.). (T-1)

3.2.4. (21SW) Tests are available at the Peterson Airfield Driving SharePoint (PADS) Tab F at: <https://eis.afspc.af.mil/unit/21sw/21oss/ADP/Airfield%20Driving%20Program/default.aspx> The Unit ADPM administer tests, provided by Wing ADPM through PADS, to trainees and annotate scores IAW AFI 13-213 Attachment 5, *Airfield Driving Training Documentation and Certification Checklist*. Tests are consolidated and include testing requirements listed in AFI 13-213, paragraphs 3.2.4.3.1. – 3.2.4.3.5.e

3.2.4.1. Coordinate tests with Wing Safety prior to implementation. Each test must include the OPR and currency date. (T-3)

3.2.4.2. Authority to administer tests may be delegated to the unit ADPMs in the ADI.

3.2.4.3. At a minimum, testing requirements must include the following:

3.2.4.3.1. Airfield Diagram/Layout Test. Develop an airfield diagram/layout test to ensure individuals know the location of runways, taxiways, aprons, perimeter road, airfield access points, etc. The airfield diagram/layout test must also include identifying the location and description of Visual Flight Rules (VFR) and instrument (INST) holding position signs and markings. Individuals must achieve a minimum passing score of 100%. Use the Airfield Driving Training Documentation and Certification Checklist to document test results. (T-1) (See **Attachment 5**)

3.2.4.3.2. Communications Test (*required for access onto the CMA*). Communication test must be at least 5 questions with a minimum passing score of 100%. Use the Airfield Driving Training Documentation and Certification Checklist to document test results. (T-2) (See **Attachment 5**) At a minimum, include the following areas on the communication test:

3.2.4.3.2.1. Basic communication principles. (T-3)

3.2.4.3.2.2. Phonetic Alphabet. (T-3)

3.2.4.3.2.3. Standard aviation phraseology. (T-3)

3.2.4.3.2.4. Escort phraseology/rules. (T-3)

3.2.4.3.2.5. A simulation of radio communications between a vehicle operator and ATCT. For example, initial radio contact, crossing active runway, hold short instructions, etc. (T-3)

3.2.4.3.3. General Knowledge Test. Develop a written general knowledge test on the ADI with at least 10 questions and a passing score of 80% (corrected to 100%). Use the Airfield Driving Training Documentation and Certification Checklist to document test results. (T-2) (See [Attachment 5](#))

3.2.4.3.4. Practical Driving Test. At a minimum, the individual must:

3.2.4.3.4.1. Drive the vehicle during the check-ride. (T-3)

3.2.4.3.4.2. Demonstrate the ability to operate a vehicle in all areas required for the duty position and/or work areas without assistance. (T-3)

3.2.4.3.4.3. Identify the location of runway hold lines, runways and other CMAs. (T-1)

3.2.4.3.4.4. Demonstrate the ability to contact ATCT prior to entering the runways and other CMAs (*for Runway/CMA drivers only*). (T-1)

3.2.4.3.4.5. Use the Airfield Driving Training Documentation and Certification Checklist to document test results. (T-2) (See [Attachment 5](#))

3.2.4.3.5. Runway Incursion Prevention Test. Runway Incursion Prevention Test must be at least 5 questions with a minimum passing score of 100%. (T-1)

3.2.4.4. Test Failure. Include wing and/or base procedures for test failures (e.g. First, Second or Third time) such as additional time before retest or remedial training endorsed by the Unit/CC. (T-3)

3.2.4.4.1. **(Added-21SW)** First time test failures the individual receive additional training from their unit program manager (It cannot be a unit trainer) before a retest is permitted. Trainees may retest upon completion of additional training but no earlier than 7 days from the failure. The additional training is documented on a MFR and signed by the flight commander. This authority is not delegated.

3.2.4.4.2. **(Added-21SW)** A second time test failures the individual is required to receive additional training from their unit program manager (It cannot be a unit trainer) before a retest is permitted. Trainees may retest upon completion of additional training but no earlier than 14 days from the failure. The additional training is documented on a MFR and signed by the unit commander. This authority is not delegated.

3.2.4.4.3. **(Added-21SW)** A Third time test failures is not issued an AF Form 483 for airfield driving at Peterson AFB. A request to have this decision reversed requires a MFR with justification and signed by the first O-6 in the driver's chain of command. This authority is not delegated. After which, the trainee is retrained by the Wing Airfield Driving Program Manager IAW AFI13-213 and this supplement.

3.2.5. **Color Vision Requirements.** Outline wing and/or base procedures to ensure individuals that have a requirement to drive a vehicle on the CMA are administered a color vision test. **Note:** Individuals that are required to have normal color vision as a part of their AFSC only require verification that they successfully completed a color vision test by a Hospital/Medical Treatment Facility Optometrist or off-base equivalent. (T-1) See AFI 48-123, *Medical Examinations and Standards* for additional information.

3.2.5. (21SW) Personnel training for driving on the CMA is required to complete color vision screening and provide the results to the Unit ADPM for validation. Personnel who do not have a requirement to drive on the CMA do not require a color vision test and have the restriction "Peterson AFB Ramp Only" annotated on the AF Form 483.

3.2.5.1. Contact the base hospital/medical treatment facility Optometrist for assistance in determining the best process for administering the color vision test to drivers that operate a vehicle on the CMA. (T-3)

3.2.5.1. (21SW) Trainees need to report to 21 AMDS/SGPF located at 559 Vincent St., Building 959 Peterson AFB, CO, 80914 within walk-in hours (Monday-Thursday 0800-1100 or 1300-1500 or on Fridays 0800-1100) with their AFI13-213, Attachment 5, *Airfield Driving Training Documentation and Certification Checklist*.

3.2.5.2. Individuals that fail to pass the color vision test can be issued a "Limited Access" AF IMT 483. **Note:** Access to the CMA must not be granted.

3.2.5.2. (21SW) Personnel who do not pass the color vision test; a restriction "Peterson AFB Ramp Only" on the AF Form 483 is annotated.

3.2.5.3. Refer to the Officer and Enlisted Classification Directory for AFSCs that have a mandatory requirement for normal color vision in their Air Force Specialty Code (AFSC). Both products are available for viewing and download on the AF Portal. **Note:** Unit ADPM must still validate individual has normal color vision and/or no waiver to the classification directory standards. (T-3)

3.2.6. **Airfield Diagram.** Develop a local airfield diagram for the ADI and keep current with updates as required. (T-3) Depict the following items as a minimum:

3.2.6. (21SW) The Peterson AFB Airfield Diagram is depicted in Attachment 8, *Airfield Diagrams* depicted in this supplement are available on PADS.

3.2.6.1. CMA for vehicles/pedestrians as defined in the Airfield Operations Instruction (AOI). CMAs located outside of the runway hold lines on taxiways and aprons will be marked using the FAA Non-Movement Area markings and signs. (T-3) See FAA Advisory Circular 150/5340-1, *Standards for Airport Markings* for an example of a Non Movement Area marking. (T-0)

3.2.6.2. Location and a detailed description of runways, taxiways, ramp/aprons, VFR, and INST holding position signs and markings. (T-3)

3.2.6.3. Airfield access points. (T-3)

3.2.6.4. Restricted area boundaries/entry control points. (T-3)

3.2.6.5. Control area boundary. (T-3)

3.2.6.6. Vehicle traffic lanes and traffic flow. (T-3)

3.2.6.7. Critical area boundaries for precision navigational aids (e.g. ILS, PAR, Localizer, Precision Obstacle Free Zone, etc.) if applicable. (T-3)

3.2.6.8. Location of Airfield Management (normally inside the Base Operations Bldg) and the ATCT. (T-3)

3.2.6.9. Hot Spots (as determined locally). **Note:** A different diagram may be used to depict hot spots.

3.2.6.10. Limited or no visibility with the ATCT blind spots (as applicable). (T-3)

3.2.6.11. Communication —dead spots. (T-3)

3.2.6.12. Complex runway/taxiway intersections. (T-3)

3.2.6.13. Other confusing or ambiguous areas identified on airfield. (T-3)

3.2.6.14. Include a legend on the airfield diagram to illustrate symbols used. (T-3)

3.2.6.15. Jet Blast Hazard areas. (T-3)

3.2.6.16. Other areas that pose a hazard to vehicle operators (as determined locally).

3.2.7. **Operating Procedures and Standards.** At a minimum, include the following:

3.2.7. (21SW) 10Vehicle operators are required to be trained and comply with control tower light gun signals IAW AFI 13-213, paragraph 3.2.7.10 and have AFVA 11-240 available in all vehicles that operate on the airfield.

3.2.7.1. Procedures and standards for operating a vehicle on the airfield. (T-3)

3.2.7.1.1. Personnel driving on the airfield must complete airfield driver's training or be escorted by a vehicle operator possessing a valid AF Form 483 prior to entry to the airfield. (T-1)

3.2.7.1.2. Units sponsoring TDY personnel or Non-base assigned contractors are responsible for providing training or an escort that possesses a valid AF Form 483. (T-3)

3.2.7.2. Procedures and standards for operating a vehicle on the CMA. (T-3)

3.2.7.2.1. No vehicle operator or pedestrian may enter the CMA without specific approval from the ATCT. (T-1) **Exception:** Vehicles and/or pedestrians may be escorted into the CMA by another vehicle and/or pedestrian that has two-way radio contact with the ATCT.

3.2.7.2.2. Vehicle operators and/or pedestrians must read back all ATC instructions verbatim. (T-1)

3.2.7.2.3. Vehicle operators and/or pedestrians must always monitor the appropriate radio frequency when in the CMA. (T-1)

3.2.7.2.4. Vehicle operators must use LED/rotating beacon lights and/or emergency flashers when driving in the CMA. (T-1)

3.2.7.2.5. Vehicles operating in the CMA on a daily basis should have a permanent radio mounted in the vehicle to communicate with the ATCT. A hand-held radio should only be used as a backup or when communication is required outside the vehicle. **Note:** Conduct an operational test of the radio before entering the airfield. (T-3)

3.2.7.2.6. Vehicle operators and/or pedestrians operating on the CMA must use a distinct approved call sign (e.g. Airfield 1, Chief 1, Sweeper 1, TA 1, etc.)

coordinated by the Wing ADPM to avoid duplicating, confusing, or different agencies using similar names (e.g. Airfield 1, Airfield Lighting, Airfield Sweeper, etc.). **Note:** Do not use a call sign that is also a part of ATC phraseology such as “Taxi”. (T-3)

3.2.7.2.6.1. Include vehicle and/or pedestrian call signs in the ADI. (T-3)

3.2.7.2.6.1. (21SW) Vehicle and/or pedestrian call signs are provided in Attachment 12, **Figure 12, A12.1 Peterson AFB, Vehicle and/or Pedestrian Call Signs.**

3.2.7.2.6.2. For standardization, AM personnel will use the radio call signs listed below. **Note:** AM personnel at Joint/Shared-Use and host nation airfields may use different vehicle call signs to prevent duplication/similar call signs with local civilian airport operations personnel. (T-3)

3.2.7.2.6.2.1. Airfield Manager (Airfield – 1). (T-3)

3.2.7.2.6.2.2. Deputy/Assistant Airfield Manager (Airfield – 2). (T-3)

3.2.7.2.6.2.3. NCOIC, Airfield Management, NCOIC, Airfield Management Operations, NCOIC, Airfield Management Training and Airfield Management Operations Personnel or civilian equivalents (Airfield 3, 4, 5, etc.) (T-3)

3.2.7.2.7. Do not issue or use unconditional instructions (blanket approval) when authorizing vehicles to enter the runway for the purpose of an airfield inspection/check or other airfield operation. (T-1) See FAA JO 7110.65, *Air Traffic Control* for additional information. (T-0)

3.2.7.2.8. Limit crossing the runway to vehicle operators/traffic performing mission essential duties and then only to an absolute minimum. (T-1) **Note:** When crossing a runway is required during flying operations, the preferred crossing point is the departure end.

3.2.7.2.9. Identify procedures for emergency removal or exit of vehicles and/or pedestrians in the event of vehicle/ATCT radio failure. (T-3) At a minimum, procedures will include the following:

3.2.7.2.9.1. ATCT will flash the runway edge lights on and off to alert vehicle operators/pedestrians on the runway that there is a problem and/or emergency that requires them to immediately exit the runway. (T-1)

3.2.7.2.9.2. All vehicle operators/pedestrians must exit the runway immediately. Contact ATCT or AM immediately and advise off the runway and include any pertinent information that might affect safe runway operations. If not able to communicate with ATCT or AM via radio, use other means of communication such as a cellular phone (when available). Report incident to AM immediately. (T-1)

3.2.7.2.9.2. (21SW) If radio problems occur, exit the CMA and contact Airfield Management via commercial (719) 556-4708/4778 or DSN 834-4708/4778. **Note:** DO NOT ENTER OR CROSS ANY RUNWAY OR TAXIWAY IF RADIO FAILURE IS SUSPECTED.

3.2.7.3. Procedures and standards to use proper radio communications phraseology, discipline, and techniques. The words "clear" or "clearance" must not be used in communication with ATCT. (T-1) **Exception:** Vehicle operators may reply "Loud and Clear" in response to an ATCT request for radio transmission quality or clarity. See Chapter 4 for additional information.

3.2.7.4. Procedures and standards to use and maintain airfield driving visual aids/decals. At a minimum, all vehicles that operate on the airfield will contain the following AFVA/decals and diagrams: (T-1) **Note:** Decals may be permanently affixed in plain view of the driver or clipped to the inside of the sun visor on the driver's side of the vehicle so it can be flipped down for ready reference.

3.2.7.4. (21SW) Airfield driving visual aids/decals and the airfield diagram (Attachment 8) identified in AFI 13-213, paragraphs 3.2.7.4.1. – 3.2.7.4.4, is maintained in all vehicles that operate on the airfield. All visual aids are located on PADS.

3.2.7.4.1. AFVA 11-240. **Note:** The FAA Form 5280-7, *Airfield Visual Aid Safety Placard* is the FAA equivalent to AFVA 11-240 and may be used by units located at shared-use airfields.

3.2.7.4.2. AFVA 13-221 (optional if vehicle has an AFVA 11-240).

3.2.7.4.3. AFVA 13-222.

3.2.7.4.4. A current locally developed airfield diagram (provided by Wing ADPM). (T-3)

3.2.7.4.5. Hot Spots (as determined locally) when depicted on a different airfield diagram.

3.2.7.5. Procedures and standards to comply with airfield signs, marking and ATCT light gun signals. (T-3) **Note:** Provide a detailed description and an example of the following:

3.2.7.5.1. Airfield signs (e.g. mandatory and informational). (T-3)

3.2.7.5.1. (21SW) Mandatory signs are provided and are required to be followed. A mandatory sign is internally lit and has white inscription on a red background. Informational signs are used as necessary to indicate a specific location, or destination on an aircraft movement area, or to provide other useful information. Mandatory and informational signs are depicted in Attachment 10, **Figure 10, A10.1, Airfield Signs and Lighting.**

3.2.7.5.2. Airfield markings (e.g. runway, taxiway, apron/ramp, instrument, etc.). (T-3)

3.2.7.5.2.1. (Added-21SW) Controlled Movement Area boundary. There is a Movement Area boundary marking (one parallel solid and one dashed yellow line), See Attachment 9, **Figure 9, A9.1, Airfield Markings** painted the entire length of the south end of the PAFB ramp where it adjoins to Taxiway Bravo, see Attachment 10, **Figure 10, A10.11, Controlled Movement-Non-Movement Area Boundary Marking.** Authorization/certification from COS Airport Operations, a SIDA badge and positive two-way radio communication with the FAA Control Tower are required to cross this boundary and drive on Taxiway Bravo. **NOTE:**

DO NOT CROSS THIS BOUNDARY LINE WITHOUT PERMISSION FROM TOWER.

3.2.7.5.2.2. (**Added-21SW**) Vehicle Driving Lane. Attachment 10, **Figure 10, A.10.12, Vehicular Driving Lane** runs west to east parallel to the hangars from entrance of gate 1 extending to hangar 104. Drivers need to maintain situational awareness for aircraft movements, emergency vehicles and Distinguished Visitor operations in front of building 122 Red Carpet areas.

3.2.7.5.3. Airfield lighting (e.g. runway, taxiway, etc.). (T-3)

3.2.7.6. Procedures and standards to comply with vehicle speed limits on the airfield. (T-3) Identify vehicle speed limits for the following:

3.2.7.6. (**21SW**) Airfield speed limits will be IAW AFOSHSTD 91-100, paragraphs 6.4.1. – 6.4.2. **Note:** Emergency response vehicles or alert vehicles meeting a regulatory requirement may exceed the speed limits with prudence, provided personnel and property are not endangered and only when responding to actual (not exercise, training or simulated) emergencies.

3.2.7.6.1. Vehicle parking areas. (T-3)

3.2.7.6.2. Aircraft parking ramps. (T-3)

3.2.7.6.3. Airfield access or bypass road. (T-3)

3.2.7.6.4. Taxiways. (T-3)

3.2.7.6.4. (**21SW**) Taxiway speed limits is 35 mph. **Exception:** Vehicles on taxiways may exceed speed limits when directed to expedite by ATCT or when responding to actual emergencies.

3.2.7.6.5. Runways. (T-3)

3.2.7.6.5. (**21SW**) Runway speed limits is 45 mph. **Exception:** Vehicles on the runways may exceed speed limits when directed to expedite by ATCT or when responding to actual emergencies.

3.2.7.6.6. Designated traffic lanes on the ramp or taxiway in congested areas or within 200 feet of aircraft parking areas. (T-3)

3.2.7.6.7. Aircraft, equipment, and trailer towing. (T-3)

3.2.7.7. Procedures and standards for vehicles operating in the immediate vicinity of an aircraft. (T-3)

3.2.7.7.1. (**Added-21SW**) Procedures and standards for vehicles operating in the immediate vicinity of an aircraft are IAW AFMAN 24-306, Chapter 20, and AFOSHSTD 91-100, *paragraphs* 6.4.5. and 6.4.9.

3.2.7.8. Procedures and standards for parking and chocking vehicles on the airfield. (T-3)

3.2.7.9. Procedures and standards to comply with fixed and mobile obstacle distance requirements. (T-3) Identify and define the minimum clearance requirements for fixed

and mobile obstacles in relation to the runway, taxiway, taxilane, and aircraft parking apron based on the most demanding aircraft using the facilities. (T-3)

3.2.7.9.1. **(Added-21SW)** The lateral clearance distance from taxiway centerline to parked or moving vehicles is 200 feet. When operating off the edges of a taxiway do not park or operate a vehicle within 200 feet of the taxiway center line. No vehicle is parked and left unattended within 200 feet of the taxiway centerline.

3.2.7.9.2. **(Added-21SW)** The lateral clearance distance from the edge of all ramps and aprons to a mobile obstacle is 50 feet from the wingtip of any aircraft. When operating off the edges of a ramp or apron do not park or operate a vehicle within 50 feet of a moving aircraft. To ensure separation from any aircraft in the Air Force inventory, vehicles should park a minimum of 125 feet from edge of pavement.

3.2.7.9.3. **(Added-21SW)** The lateral clearance distance from the runway centerline is 1000 feet. When operating within this area, do not park and leave a vehicle or equipment unattended.

3.2.7.9.4. **(Added-21SW)** Mobile ground support equipment are placed on the airfield (taxiways, aprons, etc.) no sooner than three hours before an arrival and be moved no later than three hours after a departure. When such equipment is not in use, it shall be removed and stored in areas that do not violate aircraft clearance requirements for normal operating routes (marked taxilanes or taxiways) or other imaginary surfaces.

3.2.7.10. Procedures and standards to comply with control tower light gun signals. Air traffic controllers use a light gun as a backup system for communicating with aircraft or ground vehicles if their radios stop working. When a vehicle operator experiences a radio failure on a runway or taxiway, they must vacate the runway as quickly and safely as possible and contact the ATCT or AM by other means, such as a cellular telephone to advise of the situation. If this is not practical, then the driver, after vacating the runway, should turn the vehicle toward the tower and start flashing the vehicle headlights and wait for the controller to signal with the light gun. (T-3) All vehicle operators are required to know and comply with the following signals:

3.2.7.10.1. Steady Green Light: "Cleared to cross", "Proceed", "Go". (T-1)

3.2.7.10.2. Steady Red Light: "STOP! Vehicle will not be moved". (T-1)

3.2.7.10.3. Flashing Red Light: "Clear taxiway/runway". (T-1)

3.2.7.10.4. Flashing White Light: "Return to starting point". (T-1)

3.2.7.10.5. Red and Green Light: "General warning. Exercise extreme caution". During alerts and emergency conditions all non-essential personnel will withdraw to AM or their work control center until the emergency is terminated. The withdrawal of contractors will be at the discretion of AM. (T-1)

3.2.7.11. Procedures and standards for Foreign Object Damage (FOD) Prevention. **Note:** Vehicle operators must make every attempt to stay on paved surfaces and avoid driving on unimproved surfaces (e.g. dirt or grass). If driving on unimproved surfaces is required, conduct a FOD check upon exit of these areas or returning to paved surfaces. (T-3)

3.2.7.11. **(21SW)** FOD prevention procedures are IAW AFOSHSTD 91-100, *paragraph 1.2.6.*, AFMAN 24-306, *paragraph 20-6.*, AFI 21-101, *Aircraft and Equipment Maintenance Management*, Chapter 14, local FOD procedures and this instruction.

3.2.7.11.1. At a minimum, a FOD check will consist of the following:

3.2.7.11.1.1. Inspection of vehicle tires (pull forward to check tire in contact with pavement). Remove foreign materials (e.g. rocks, gravel, etc.) as applicable. (T-3)

3.2.7.11.1.1. **(21SW)** IAW AFI 21-101, *paragraph 14.19.2.17.*, rollover FOD checks are waived at designated FOD check points.

3.2.7.11.1.2. A visual check to ensure all external vehicle components are secured. Secure any/all items loaded on payload vehicle, including all tie down device loose ends such as chains, ropes, packaging or other item that may become dislodged during movement while on the airfield. (T-3)

3.2.7.11.1.3. A thorough walk around of the vehicle to check for damaged, loose, or worn parts.

3.2.7.11.2. See AFI 21-101, Chapter 14 and AFMAN 24-306, Chapter 20 for additional information. (T-3)

3.2.7.11.3. A thorough walk around of the vehicle to check for damaged, loose, or worn parts. (T-3)

3.2.7.11.3. **(21SW)** If significant FOD is found on the airfield notify Airfield Management Operations (AMOPS) via radio or commercial at (719) 556-4778 or DSN 834-4778. AMOPS inspect the area and contact a sweeper as necessary.

3.2.7.12. Procedures and standards for using cellular/mobile phones on the airfield. **Note:** Cellular/mobile phones must not be used while driving on the airfield. (T-2)

3.2.7.13. Procedures and standards for driving during restricted visibility or night operations. Poor weather conditions (e.g. snow, fog, rain, etc.) might obscure visual cues, roadway markings, and airfield signs. Vehicle operators must remain vigilant of their surroundings and operating boundaries. Watch out for snow removal equipment and aircraft operating in the vicinity under low-visibility conditions. There are additional risks present under these conditions. Include procedures to stop and hold at an "INST" marking/sign when conditions are less than a reported ceiling of 800 feet or 2 miles visibility. (T-3)

3.2.7.13. **(21SW)** Follow ATCT guidance to stop and hold short of INST or ILS marking/sign locations, as shown in Attachment 9, Figure A9.2, Attachment 10, Figure A10.32 and A10.3 when poor weather conditions are prevalent.

3.2.7.14. Procedures and standards for driving with daytime running lights. (T-3)

3.2.7.14. **(21SW)** Vehicles with daytime running lights will park in a safe location with ignition off, parking brake set, and emergency flashers on.

3.2.7.15. Procedures and/or restrictions for operating non-vehicular/equipment (e.g. Segway, bicycle, tricycle, golf cart, all-terrain vehicle, mower, aerospace ground equipment, etc.). (T-3)

3.2.7.15. **(21SW)** Personal motorcycles, mopeds/scooters, bicycles, and tricycles are not authorized on the parking ramps, taxiways, and runways. Electrical or gasoline-powered golf-type carts are permitted to operate on the parking ramps. IAW AFOSHSTD 91-100, *paragraph* 6.4.3.4., electrical or gasoline-powered golf-type carts needs to follow all rules established for all general and special purpose vehicles and be equipped with forward and rear lamps if operated at night. Personnel who are authorized to operate electric or gasoline-powered golf-type carts are required to complete airfield driver training and possess an AF Form 483.

3.2.7.16. Procedures and/or operational restrictions for local units, as required. (T-3)

3.2.7.17. Procedures on use of perimeter, in-field or other airfield roads to reduce non-essential vehicle traffic on the airfield. (T-3)

3.2.7.17. **(21SW)** Use of the airfield for convenience is prohibited.

3.2.7.18. Procedures to conduct and document refresher training requirements on an annual basis. (T-3) Wing ADPMs may require vehicle operators to complete refresher training more frequently (e.g. twice a year) due to their limited or infrequent (e.g. once a week or month, emergency only, etc.) presence on the airfield. At a minimum, annual refresher training will include:

3.2.7.18. **(21SW)** Annual refresher training requirement listed in AFI 13-213 and this supplement are conducted and documented via PADS. The Unit ADPM ensures all refresher training is successfully completed for each driver. Once training and testing has been completed the ADPM annotate the refresher training on the back of the AF Form 483. If there are no more spaces on the back of the AF Form 483, another AF Form 483 is issued by Airfield Management. Bring the old AF Form 483, airfield driving, and refresher training documentations to Airfield Management to have a new AF Form 483 issued.

3.2.7.18.1. A review of the ADI. (T-2)

3.2.7.18.2. Completion of the USAF Airfield Driving CBT, *Airfield Driving*. (T-2)

3.2.7.18.3. Runway incursion prevention test (at least 5 questions with a minimum passing score of 100%). (T-2)

3.2.7.19. Procedures to restrict runway crossing at locations known for communication/signal problems between ATCT and a vehicle operator/pedestrian as applicable. Also, include procedures to restrict runway crossing at ATCT visual blind spots as applicable. (T-3)

3.2.7.19. **(21SW)** Every vehicle operator or pedestrian operating on the airfield is personally responsible to check for approaching aircraft, visually observe the ATCT, and recognize the location of all runways, taxiway, and aprons. There are no known communications or radio signal problem areas on the airfield. However, the following are visual blind spots:

3.2.7.19.1. **(Added-21SW)** The Tower is sited more than 13,500 feet from the approach-end of Runway 35R and is too far for Tower personnel to visually observe aircraft/vehicles requesting clearances or operating on the airport in these areas.

3.2.7.19.2. **(Added-21SW)** A portion of Taxiway B west of the FAA Control Tower is obscured by the Building 122 control tower.

3.2.7.19.3. **(Added-21SW)** A portion of Taxiway B southeast of the control tower is obscured by Hanger 208.

3.2.7.19.4. **(Added-21SW)** A portion of Taxiway F East of the control tower is obscured by trees on the golf course. See Attachment 11, Figure 11, A11.1, *Air Traffic Control Visual Blind Spots*.

3.2.7.20. Procedures for emergency responses on or near the active runway(s). At a minimum, clearly define the primary (initial)/secondary (follow-on/support) response agencies and procedures to minimize unauthorized access on or across the runway. (T-3)

3.2.7.20.1. Follow-on/support response agencies are required to standby in a designated area (e.g. ramp, taxiway, etc.) until called forward by the Fire Chief or incident/on-scene commander. (T-3)

3.2.7.20.2. All emergency response vehicles must have approval from the ATCT or authorized vehicle escort to enter the CMA. (T-1)

3.2.7.21. Procedures for vehicle traffic control devices/lights located on taxiways/runways (if applicable). (T-3)

3.2.7.22. Procedures for airfield driving during blackout conditions (as applicable). (T-3) At a minimum, Night Vision Device (NVD) procedures will be IAW AFMAN 24-306, Chapter 18 and include the following:

3.2.7.22.1. Vehicle speed limits. (T-3)

3.2.7.22.2. Driver and assistant driver responsibilities. (T-3)

3.2.7.22.3. NVD-related accident reporting procedures. (T-3)

3.2.7.22.4. Airfield driving/NVD licensing procedures. Annotate "NVD Qualified" on the AF Form 483. (T-3)

3.2.7.22.5. Qualification/Annual refresher training requirements. (T-3)

3.2.7.22.6. NVD instructor qualification requirements. (T-3)

3.2.7.22.7. Vehicles operating with lights-out during periods of reduced airfield lighting must use hazard warning flashers or mount an Infrared Red (IR) strobe on the vehicle's roof so the ATCT and aircrew can observe the vehicle on the airfield. **Note:** Vehicle operators must still maintain two-way radio communications with the ATCT while operating on the CMA. (T-3)

3.2.7.22.8. Vehicle routes must be designated. Non-participating vehicles will not mix with participating NVD vehicles on any CMA. (T-3) **Note:** Vehicle operations should be kept to a minimum during periods of reduced airfield lighting configurations.

3.2.7.23. Procedures for vehicle escorts and convoys on the CMA and non-CMA. (T-3)

3.2.7.23.1. **(Added-21SW)** One individual may act as an escort for two or more vehicles on the CMA who are together on or within 250 feet of each other. The escort vehicle is responsible for the group and relay ATCT control instructions/communication for the group.

3.2.7.23.2. **(Added-21SW)** Personnel escorting individuals into the restricted areas are responsible for that person and require to stay in close proximity to the escorted individual. All escorted personnel are required to be visible at all times by the escort official, and have escort privileges.

3.2.7.24. Procedures for vehicles equipped with supplemental traction devices. **Note:** To reduce spark producing potential, only non-sparking material can be used. (T-3)

3.2.7.24. **(21SW)** Vehicles equipped with supplemental traction devices (e.g. tire chains, studded tires, etc.) are not authorized to operate on the airfield due to the potential for FOD and pavement damage.

3.2.7.24.1. Tire chains may only be used on airfield pavements after obtaining coordination/approval from Airfield Manager, Wing Safety, and Civil Engineer. The requesting agency will conduct a risk assessment with the above agencies when evaluating the need for tire chains to minimize pavement damage and FOD. (T-3)

3.2.7.24.2. Vehicles equipped with studded tires are not permitted to operate on the airfield without prior coordination with the Airfield Manager, Wing Safety, Civil Engineer, Transportation, and installation commander approval. Publish the list of approved units/vehicles and areas authorized to use studded tires in the ADI. (T-3)

3.2.7.25. Procedures to avoid and/or use caution in jet blast hazard areas. (T-3)

3.2.7.25. **(21SW)** There are no in-ground fuel pit covers.

3.2.7.26. Procedures to prohibit or restrict smoking on the airfield. (T-3)

3.2.7.26. **(21SW)** Smoking is not authorized anywhere on the airfield.

3.2.7.27. Procedures to avoid and/or use caution in jet blast hazard areas.

3.2.7.27.1. **(Added-21SW)** Personnel needs to use caution when driving behind taxiing aircraft and parked aircraft with engines running.

3.2.7.27.2. **(Added-21SW)** When engines are running or are about to be started, remain at least 25 feet to the front or 200 feet to the rear of any aircraft. **Note:** When operating near large aircraft, such as C-5, C-17, KC-10, etc., use extreme caution due to jet engine blast (recommended distance is 500 feet).

3.2.8. **Reporting, Enforcement and Violation Consequences.** At a minimum, include the following:

3.2.8.1. Delegation of authority for to ADP enforcement. At a minimum, include the authority for Unit Commanders, ADPMs (for unit assigned personnel), AM and SF personnel to temporarily suspend airfield driving privileges. (T-3)

3.2.8.1. (21SW) Unit Commanders, Unit ADPMs, AM, Flight Safety and SFS personnel are authorized to revoke or suspend airfield driving privileges.

3.2.8.1.1. (Added-21SW) Notify the Wing ADPM, Unit ADPM, and Unit Commander when a revocation or suspension occurs.

3.2.8.1.2. (Added-21SW) If the Wing ADPM revokes or suspends airfield driving privileges, the Unit Commander and Unit ADPM receives written notification.

3.2.8.1.3. (Added-21SW) First violation normally incur a warning (minimum) or up to a 30-day suspension of airfield driving privileges. **Exception:** CMAV events automatically incur a 30-day suspension for the first offense.

3.2.8.1.4. (Added-21SW) A second airfield driving violation result in a 60 day suspension of airfield driving privileges. A second CMAV event result in a 6-month suspension, or permanent revocation if within a 12-month time period.

3.2.8.2. Procedures for reissuance of an AF Form 483 after a suspension (e.g. re-training, Unit/CC recommendation in writing, limited access, etc.). Include sample MFRs for suspension, revocation, and reinstatement of airfield driving privileges. (T-3)

3.2.8.2.1. (Added-21SW) Before reissuance of the AF Form 483, Unit Commanders and Unit ADPM ensure personnel with suspended driving privileges are retrained and recertified IAW AFI 13-213 and this supplement.

3.2.8.2.2. (Added-21SW) Upon completion of training requirements, the Unit Commander need to request reinstatement of airfield driving privileges.

3.2.8.3. Procedures to report and document CMAV events. A CMAV event is an airfield violation caused by aircraft, vehicles, or pedestrians entering the CMA without specific ATCT approval. (T-3) This definition also includes runway incursions. A runway incursion is a CMAV event that involves the incorrect presence of an aircraft, vehicle or person on the protected area of a surface designated for the landing and take-off of aircraft. For the purpose of this instruction, the protected area is the same as the CMA. Runway Incursions are further classified into three operational categories (Operational Error, Pilot Deviation, and Vehicle/Pedestrian). (See [Attachment 1](#))

3.2.8.3. (21SW) Procedures for reporting and documenting CMAV events are IAW AFI 13-213, *paragraphs* 3.2.8.3.1. – 3.2.8.3.4.

3.2.8.3.1. Unit Commander, Unit ADPM and AM must be notified immediately of any CMAV event. AM will notify MAJCOM OPR for AO within 24 hours of a CMAV/HATR incident. (T-3)

3.2.8.3.2. For an actual or suspected runway incursion, the individual's AF Form 483 must be surrendered to AM and airfield driving privileges temporarily suspended until an investigation and retraining is completed. (T-3)

3.2.8.3.2.1. The Unit Commander of the individual who committed a runway incursion will be notified that one of their unit personnel was involved in a CMAV and the incident is under investigation. This notification will be made within 24 hours or the next duty day of the alleged incident, whichever occurs first. (T-3)

3.2.8.3.2.2. Runway Incursions and CMAV events must be reported to Wing Safety as outlined in AFI 91-223, *Aviation Safety Investigations and Reports*, Chapter 6. (T-3)

3.2.8.3.2.3. The AOF/CC, Wing Safety and Wing ADPM will work as a team to assign all runway incursions an operational category (e.g. Operational Error, Pilot Deviation and Vehicle/Pedestrian) defined in **Attachment 1** for trend analysis. The AOF/CC will ensure these classifications are annotated in the recommendation section of the AF Form 457, *USAF Hazard Report* or narrative section of the AF Form 651, *Hazardous Air Traffic Report (HATR)*. (T-3)

3.2.8.3.2.4. The Wing ADPM is responsible for taking immediate actions to correct any identified systematic problems and ensuring interim control measures are applied until permanent corrections are made. (T-3)

3.2.8.3.2.5. The Wing ADPM and Wing Safety must inspect the unit ADP of personnel that commit a runway incursion as a part of the investigation. Emphasis will be placed on how the unit trained the individual and their compliance with the ADI. The results will be reported to the Unit Commander. (T-3)

3.2.8.3.2.6. The AF IMT 651 and/or AF IMT 457 must include the following information in the narrative section:

3.2.8.3.2.6.1. Individual's information (e.g. rank, job title, organization, TDY, or base assigned). (T-3)

3.2.8.3.2.6.2. Individual's experience working on or near the airfield and date trained. (T-3)

3.2.8.3.2.6.3. If individual was authorized on the airfield and/or CMA. (T-3)

3.2.8.3.2.6.4. If individual completed all training required to operate a vehicle on the airfield. (T-3)

3.2.8.3.2.6.5. Approximate location where the CMAV occurred (e.g. runway/taxiway intersection, distance from threshold or overrun etc.). (T-3)

3.2.8.3.3. CMAV events must be briefed at the AOB. (T-3)

3.2.8.3.3.1. Provide a detailed description of each incident to include (What, When, Where, How, type vehicle/aircraft involved and action taken to prevent a reoccurrence). (T-3)

3.2.8.3.3.2. Highlight any trends (e.g. annual/biannual chart showing upward or downward incident rate as applicable). (T-3)

3.2.8.3.4. The Wing ADPM must maintain a copy of the AF Form 651s/457s, actions taken, results and supporting documentation in accordance with Air Force RDS, Table 13-06, Rule 15.00 (see AFI 91-202, *The US Air Force Mishap Program* and AFMAN 91-223, *Aviation Safety Investigations and Reports*). A copy of the final runway incursion AFSAS report may be obtained from Wing Safety and/or MAJCOM OPR for AO. (T-3)

3.2.8.4. Procedures to ensure airfield driving privileges are suspended for individuals who do not complete annual refresher training on the first day of the preceding month after the refresher training is due. **Note:** Personnel that were not able to complete refresher training (e.g. deployed, TDY, etc.) must complete it prior to driving on the airfield. (T-3)

3.2.8.4. (21SW) Personnel who do not complete annual refresher training on the first day of the preceding month its due, the member driving privileges is suspended until all, not just refresher training, is re-accomplished.

3.2.8.5. Procedures to report and document other airfield driving incidents/violations (e.g. speeding, expired or no POV pass, etc.). (T-3) At a minimum, obtain the following information:

3.2.8.5. (21SW) Individuals who witness an airfield driving incident/violation is required to provide the information outlined in AFI 13-213, *paragraphs* 3.2.8.5.1. – 3.2.8.5.2., to the Wing ADPM during normal duty hours (0730L – 1630L) at (719) 556-4708, and after duty hours to AMOPS at (719) 556-4708.

3.2.8.5.1. Name/Rank of the individual, unit, duty phone, Unit Commander or unit ADPM. (T-3)

3.2.8.5.2. Details of incident/violation (including date, time, location, nature, other pertinent facts, etc.). (T-3)

3.2.9. **TDY Personnel, Inspection/Survey Teams and Non-base Assigned Contractors.** Outline procedures and standards for TDY and non-base assigned contractors that need to drive on the airfield. (T-3)

3.2.9.1. TDY personnel, Inspection/Survey Teams and non-base assigned contractors must possess an AF Form 483 and be trained on local airfield driving procedures to operate a vehicle on the airfield without an escort. (T-1) **Exception:** The Wing ADPM or as delegated in the ADI to the unit ADPM may provide a local briefing/training when TDY personnel, Inspection/Survey Teams and non-base assigned contractors driving route(s) do not permit access on or across the CMA. In this case, the Wing ADPM or designated representative will issue a temporary AF Form 483 with the restriction “*Ramp Access Only*” or “*Non CMA Only*” and expiration date. (T-3)

3.2.9.1. (21SW) TDY and non-base assigned contractors may be escorted by someone who possesses an AF Form 483. The Wing ADPM or Unit ADPM needs to provide local training when TDY and contractor personnel are required to operate a vehicle on the airfield.

3.2.9.2. TDY personnel, Inspection/Survey Teams and non-base assigned contractors will not be granted access to the CMA unless they have completed all training and testing requirements outlined in this AFI and ADI. (T-1)

3.2.9.3. Use [Attachment 7](#) or electronic equivalent to document the name/unit of the individual that received the local briefing/training. (T-3)

3.2.9.4. If a sponsoring unit ADPM accomplishes the local training/briefing, forward an information copy to the Wing ADPM.

3.2.9.5. The local briefing and/or training materials should be made available in host nation language where applicable. (T-3)

3.2.9.6. Maintain a file copy of this training in accordance with Air Force RDS, Table 33-42, Rule 04.00. (T-3)

3.2.9.7. **(Added-21SW)** To the maximum extent possible, contractors needs to have the aforementioned written into their contracts to adhere the provisions of AFI 13-213 and this supplement if required to operate a vehicle on the airfield is mandatory.

**3.2.10. Privately Owned and Government Leased Vehicle Passes.** Outline procedures and standards for personnel that need to drive a POV or Government Leased Vehicle on the airfield. At a minimum, drivers must be trained and certified to drive on the airfield. (T-3)

3.2.10. **(21SW)** Vehicle passes are only issued to those individuals whose job requires immediate and direct access to the work area on the airfield. Vehicle passes are not required for personnel driving to/parking at work facilities or buildings/hangars adjacent to the flight line. Vehicle passes are required for contractor vehicles operating on the airfield within designated work areas. Any vehicle purchased (rental or otherwise) with government funds operating in an official government capacity do not require a POV pass. This also includes tenant unit flight operations support vehicles.

3.2.10.1. Develop procedures for issuing, and maintaining control/security (e.g. expiration, disposition, changing colors, numbers, etc.) of POV and Government Leased Vehicle Passes/Decals. **Note:** POVs on the airfield are discouraged and must be restricted to an absolute minimum. Include a sample MFR or local form/electronic equivalent for requesting a POV/Government Leased Vehicle pass. (T-3)

3.2.10.1. **(21SW)** Vehicle pass request procedures and standards are IAW AFI 13-213, *paragraphs* 3.2.10.1. – 3.2.10.2., and this supplement. Vehicle pass requests for base-assigned personnel are submitted to the Wing ADPM for approval. For contractors and non-base assigned personnel, vehicle pass requests is submitted to the Wing ADPM by filling in the 21SW Form 131, *POV Pass Request* for processing and approval.

3.2.10.1.1. Request for a vehicle pass/decal must be endorsed by the individual's Unit Commander or Company/Contractor representative. (T-3) At a minimum, the MFR or local form/electronic equivalent will contain the following information:

3.2.10.1.1.1. Owner/User. (T-3)

3.2.10.1.1.2. Organization/Company. (T-3)

3.2.10.1.1.3. Duty Phone. (T-3)

3.2.10.1.1.4. Vehicle Make, Model, Year, Color, and License/State. (T-3)

3.2.10.1.1.5. Pass/Permit number. (T-3)

3.2.10.1.1.6. Area of Operation(s)/location. (T-3)

3.2.10.1.1.7. Justification. (T-3)

3.2.10.1.1.8. Effective period/dates. (T-3)

3.2.10.1.2. Vehicle passes/decals must be validated at least annually. (T-3)

3.2.10.1.2. **(21SW)** Vehicle passes or vehicle cones are validated on an annual basis. The cone may change color and/or number upon validation.

3.2.10.1.2.1. **(Added-21SW)** Vehicle cones are to be placed on the driver's side hood at all times while on the airfield. Passes are not loaned or sub-issued to other personnel.

3.2.10.1.2.2. **(Added-21SW)** Vehicle cones are returned to the Wing ADPM when no longer required.

3.2.10.1.3. POV and Government Leased vehicles passes/decals must be differentiated in the ADI. (T-3)

3.2.10.1.4. The AFM, Wing ADPM or designated AM representatives are responsible for issuing vehicle passes/decals. **Note:** Authority must not be delegated outside of AM. (T-1)

3.2.10.2. Maintain vehicle passes/decals supportive information in accordance with Air Force RDS, Table 13-01, Rule 01.00. (T-3)

3.2.10.3. **(Added-21SW)** Loss or theft of vehicle cones, report to the Wing ADPM immediately.

3.2.10.4. **(Added-21SW)** Contractor vehicle cones are limited to the absolute minimum.

3.2.10.5. **(Added-21SW)** Contractor vehicle cones are only issued to contractor type vehicles (i.e., trucks, tractor trailers, vans, etc.).

3.2.11. **Disabled Vehicles.** Outline procedures for a disabled vehicle on the airfield. (T-3)

3.2.11.1. When a vehicle has a malfunction that prevents operation under its own power, every means will be used to alert taxiing aircraft in the vicinity. (T-3) At a minimum, the ground vehicle operator will:

3.2.11.1.1. Leave the vehicle parking lights or emergency flashers on. (T-3)

3.2.11.1.2. If the vehicle has two-way radio capability, make the following transmission: "*All parties BREAK, BREAK-This is (call sign) with an emergency for Airfield Management, Tower, and Maintenance Operations Center*". State the nature of the problem and report your position on the airfield. (T-3)

3.2.11.2. Operators of other radio-equipped vehicles (e.g. security forces, civil engineer, transportation, etc.) must make every effort to assist getting the disabled vehicle off of the airfield, especially if the vehicle is located on parking aprons, taxiways, or runway. (T-3)

3.2.11.3. If a vehicle is not equipped with a two-way radio, stay with the vehicle and continue attempts to alert any taxiing aircraft or other vehicles in the vicinity. (T-3)

3.2.11.4. In the event of a disabled vehicle on the CMA, the vehicle operator will immediately notify ATCT and AM by any means possible to coordinate expeditious removal of the disabled vehicle from the CMA. (T-1)

3.2.11.4.1. The vehicle operator will ensure the disabled vehicle is not left unattended in the CMA. (T-3)

3.2.11.4.2. The disabled vehicle will be removed using any method in the quickest and safest way possible. (T-3)

3.2.12. **Pedestrian Movement.** Outline procedures for pedestrian movement on the airfield. (T-3) At a minimum, pedestrians on the airfield must adhere to the following procedures:

3.2.12.1. Pedestrians are authorized on the airfield for official business in support of the flying mission. (T-3)

3.2.12.2. Walk facing oncoming traffic. (T-3)

3.2.12.3. Do not sit or recline on the ramp in such a manner that interferes with normal ground vehicle and aircraft operations. (T-3)

3.2.12.4. Do not enter the CMA without two-way radio contact and approval from the ATCT. (T-1)

## Chapter 4

### RADIO COMMUNICATIONS PHRASEOLOGY, DISCIPLINE AND TECHNIQUES

#### 4.1. General.

4.1.1. Radio communications are a critical link in the ATC system. The single, most important thought in communications with the ATCT is understanding. It is essential to acknowledge each radio communication with controllers by using the appropriate call sign.

4.1.2. Brevity is important, therefore, radio transmissions must be kept as brief as possible. However, controllers must know what you want to do before they can properly carry out their control duties. Conversely, the vehicle operator, must know exactly what the controller wants them to do. (T-3)

4.1.3. Vehicle operators must maintain vigilance in monitoring air traffic control radio communications frequencies for situational awareness, especially when operating on an active runway. (T-3)

#### 4.2. Radio Techniques.

4.2.1. Listen before transmitting. If someone else is talking, the keying of another transmitter will be ineffective and will probably override/block out the other receiver causing the other vehicle operator to repeat his or her call.

4.2.2. Think before keying the transmitter. You must know exactly what you need to say before you say it. (T-3)

4.2.3. The microphone should be very close to your lips and, after pressing the “microphone button”, a slight pause may be necessary to be sure, the first word is transmitted clearly. Speak in a normal, conversational tone.

4.2.4. When releasing the microphone button, wait a few seconds before calling again. The controller may be looking for you on the airfield, transmitting on a different frequency, or scanning the runway to enable your request.

4.2.5. Be alert to the sounds or the lack of sounds in the receiver. Check your volume, recheck your frequency, and make sure that your microphone is not stuck in the transmit position. Frequency blockage can, and has, occurred for extended periods due to unintentional transmitter operation. This type of interference is commonly referred to as a “stuck mike,” and controllers may refer to it in this manner when attempting to correct the problem.

4.2.6. Be sure that you are within the performance range of your radio equipment and the ground station equipment. Refer to the airfield diagram to determine possible radio blind spots.

4.2.7. Use caution when using a vehicle mounted/handheld radio and operating a vehicle at the same time. When possible, only use the radio when the vehicle is safely parked.

**4.3. Phraseology.** Vehicle operators must contact the ATCT controller each and every time they proceed onto or leave the CMA. When proceeding onto a CMA, vehicle operators must advise the controller of three things: **WHO** you are, **WHERE** you are, and **WHAT** your

intentions are. Vehicle operators must always acknowledge all communications so ground control and other persons know that the message was received. Vehicle operators must always give aircraft and ground control transmissions priority unless an emergency exists. VHF/UHF transmissions are reserved for the primary use of aircraft and ATCT personnel. (T-1)

4.3.1. A typical runway crossing transmission sequence is as follows:

**Table 4.1. Sample Runway Crossing Phraseology.**

<b>VEHICLE OPERATOR:</b>	<i>“JACKSONVILLE TOWER AIRFIELD ONE.”</i>
<b>ATCT:</b>	<i>“AIRFIELD ONE, JACKSONVILLE TOWER.”</i>
<b>VEHICLE OPERATOR:</b>	<i>“JACKSONVILLE TOWER, AIRFIELD ONE REQUEST TO CROSS (runway) AT (point/intersection).”</i>
<b>ATCT:</b>	<i>“AIRFIELD ONE, CROSS (runway) AT (point/intersection). or “AIRFIELD ONE, HOLD SHORT OF (runway).”</i>

4.3.2. Vehicle operators must read back ATCT instructions verbatim. If you are unsure of what the controller has transmitted, or if you do not understand an instruction, you **MUST** ask the controller to repeat the instructions before taking any action. Good communication only occurs when each party knows and understands what the other is saying. (T-1)

**Table 4.2. Sample Read back Instructions**

<b>VEHICLE OPERATOR:</b>  <b>Note:</b> Airfield 1 visually scans the runway prior to entry, and then proceeds across the runway	<i>“AIRFIELD ONE UNDERSTANDS APPROVED TO CROSS (runway) AT (point/intersection). WILL REPORT WHEN OFF.” or “AIRFIELD ONE, HOLDING SHORT (at location).”</i>
<b>VEHICLE OPERATOR:</b>	<i>“JACKSONVILLE TOWER, AIRFIELD ONE CROSSING COMPLETE, OFF (runway) AT (location).”</i>
<b>ATCT:</b>	<i>“AIRFIELD ONE, ROGER.”</i>

4.3.3. If vehicle operators are issued hold short instructions, they are required to provide a read back to the ATCT.

**Table 4.3. Sample Hold Short Instructions.**

<b>ATCT:</b>	<i>“AIRFIELD THREE PROCEED VIA TAXIWAY CHARLIE, HOLD SHORT OF RUNWAY TWO SEVEN.”</i> <i>or</i> <i>“AIRFIELD THREE PROCEED VIA CHARLIE, HOLD SHORT OF RUNWAY TWO SEVEN.”</i>
<b>VEHICLE OPERATOR:</b>	<i>“AIRFIELD THREE, ROGER.”</i>
<b>ATCT:</b>	<i>“AIRFIELD THREE, READ BACK HOLD INSTRUCTIONS.”</i>
<b>VEHICLE OPERATOR:</b>	<i>“AIRFIELD THREE, PROCEEDING VIA CHARLIE, WILL HOLD SHORT OF RUNWAY TWO SEVEN.”</i>

**4.4. Common Use Phrases.****Table 4.4. Common Use Phrases.**

<b>What Is Said:</b>	<b>What It Means:</b>
Acknowledge	Let me know you have received and understand this message.
Advise Intentions	Let me know what you plan to do.
Affirmative	Yes.
Correction	An error has been made in the transmission, and the correct version follows.
Go Ahead	Proceed with your message only. <b>Note:</b> Use of this phrase does not authorize requestor to “Go Ahead” with, or carry out, their request.
Hold/Hold Short	Phrase used during ground operations to keep a vehicle or aircraft within a specified area or at a specified point while awaiting further clearance from air traffic control.
How do you hear me?	Question relating to the quality of the transmission or to determine how well the transmission is being

	received.
Immediately or without delay, Expedite	Phrase used by ATC when such action compliance is required to avoid an imminent situation.
Negative	"No" or "permission not granted" or "that is not correct."
Out	The radio conversation is ended, and no response is expected.
Over	My radio transmission is ended, and I expect a response.
Read Back	Repeat my message to me.
Roger	I have received all of your last transmission.
Stand By	Means the controller or pilot must pause for a few seconds, usually to attend to other duties of a higher priority. Also means to wait as in "stand by for clearance." The caller should reestablish contact if a delay is lengthy.
Unable	Indicates inability to comply with a specific instruction, request, or clearance.
Verify	Request confirmation of information.
Wilco	I have received your message, understand it, and will comply with it.

**4.5. Phonetic Aviation Alphabet.** Because some letters have similar sounds, like B and P, the international aviation industry uses the following words to reduce confusion. For example, Taxiway B would be referred to as Taxiway Bravo on the radio. Vehicle operators must know and use the following Phonetic Aviation Alphabet: (T-1)

**Table 4.5. Phonetic Aviation Alphabet.**

<b>A</b>	ALFA	<b>N</b>	NOVEMBER
<b>B</b>	BRAVO	<b>O</b>	OSCAR
<b>C</b>	CHARLIE	<b>P</b>	PAPA
<b>D</b>	DELTA	<b>Q</b>	QUEBEC
<b>E</b>	ECHO	<b>R</b>	ROMEO
<b>F</b>	FOX-TROT	<b>S</b>	SIERRA
<b>G</b>	GOLF	<b>T</b>	TANGO
<b>H</b>	HOTEL	<b>U</b>	UNIFORM
<b>I</b>	INDIA	<b>V</b>	VICTOR
<b>J</b>	JULIET	<b>W</b>	WHISKEY
<b>K</b>	KILO	<b>X</b>	X-RAY
<b>L</b>	LIMA	<b>Y</b>	YANKEE
<b>M</b>	MIKE	<b>Z</b>	ZULU

**4.6. DELETED**

JOHNNY A. WEIDA, Maj Gen, USAF  
Asst DCS, Operations, Plans, and Requirements

(21SW)

DOUGLAS A. SCHIESS, Colonel, USAF  
Commander

## Attachment 1

## GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION

*References*

**AFPD 13-2**, *Air Traffic Control, Airspace, Airfield, and Range Management*, 7 August 2007

**AFI 13-204 Volume 2**, *Airfield Operations Standardization and Evaluations*, 1 September 2010

**AFI 21-101**, *Aircraft and Equipment Maintenance Management*, 26 July 2010

**AFMAN 24-306\_IP**, *Manual for Wheeled Vehicle Operator*, 1 July 2009 **AFI 31-204**, *Air Force Motor Vehicle Traffic Supervision*, 14 July 2000

**AFI 33-360**, *Publications and Forms Management*, 25 September 2013

**AFMAN 33-363**, *Management of Records*, 1 March 2008

**AFI 91-203**, *Air Force Consolidated Occupational Safety Instruction*, 15 June 12

**AFI 91-202**, *The US Air Force Mishap Program*, 5 August 2011

**AFMAN 91-223**, *Aviation Safety Investigations and Reports*, 16 May 2013

**AFI 48-123**, *Medical Examinations and Standards*, 24 September 2009

Air Force Enlisted Classification Directory (AFECD), 1 August 2009

Air Force Officer Classification Directory (AFOCD), 31 October 2009

**FAA Advisory Circular 150/5340-1L**, *Standards for Airport Markings*, 27 September 2013

**FAA Joint Order 7110.65U**, *Air Traffic Control*, 9 February 2012

*Prescribed Forms*

**AF Form 483**, *Certificate of Competency*

*Adopted Forms.*

**AF Form 457**, *USAF Hazard Report*

**AF Form 651**, *Hazardous Air Traffic Report (HATR)*

**AF Form 3616**, *Daily Record of Facility Operation*

**AF Form 4058**, *Airfield Operations Policy Waiver*

**FAA Form 5280-7**, *Airfield Visual Aid Safety Placard Abbreviations and Acronyms*

**ADI**—Airfield Driving Instruction

**ADP**—Airfield Driving Program

**ADPM**—Airfield Driving Program Manager **AF**—Air Force

**AFFSA**—Air Force Flight Standards Agency

**AFI**—Air Force Instruction **AFMAN**—Air Force Manual **AFM**—Airfield Manager

**AFRSAT**—AF Runway Safety Action Team **AFSC**—Air Force Specialty Code

**AM**—Airfield Management

**AO**—Airfield Operations  
**AOB**—Airfield Operations Board  
**AOF/CC**—Airfield Operations Flight Commander  
**AOI**—Airfield Operations Instruction  
**ATC**—Air Traffic Control  
**ATCT**—Air Traffic Control Tower  
**CBT**—Computer Based Training  
**CMA**—Controlled Movement Area  
**CMAV**—Controlled Movement Area Violation  
**DOD**—Department of Defense  
**FAA**—Federal Aviation Administration  
**FOD**—Foreign Object Damage  
**GM**—Guidance Memorandum  
**HATR**—Hazardous Air Traffic Report  
**IC**—Interim Change  
**ILS**—Instrument Landing System  
**INST**—Instrument  
**IR**—Infared Red  
**MAJCOM**—Major Command  
**MFR**—Memorandum for Record  
**MOPP**—Mission Oriented Protective Posture  
**OG**—Operations Group  
**OPR**—Office of Primary Responsibility  
**NVD**—Night Vision Device  
**POFZ**—Precision Obstacle Free Zone  
**POV**—Privately Owned Vehicle  
**RIPWG**—Runway Incursion Prevention Working Group  
**RGL**—Runway Guard Light **RWY**—Runway  
**SF**—Security Forces  
**SFMIS**—Security Forces Management Information System  
**TDY**—Temporary Duty  
**VCNCO**—Vehicle Control Noncommissioned Officer

**VCO**—Vehicle Control Officer **VFR**—Visual Flight Rule *Terms*

**Acknowledge**—Let me know that you have received my message.

**Advise Intentions**—Tell me what you plan to do.

**Aerodrome**—A defined area on land or water (including any buildings, installations and equipment) intended to be used either wholly or in part for the arrival, departure, and movement of aircraft.

**AF Runway Safety Action Team**—AFRSAT teams are composed of AFFSA and/or MAJCOM OPR for AO functional experts used to analyze, report and determine corrective actions required to reduce the number of Controlled Movement Area Violations on the airfield. AFRSAT functional experts will evaluate all pertinent areas that are a part of, or affect, the negative trend or unsafe condition.

**Aircraft on Final**—Commonly used to mean that an aircraft is on final approach course or is aligned with a landing area.

**Airfield**—An area prepared for the accommodation (including any buildings, installations, and equipment) of landing and take-off of aircraft.

**Airfield Driving Instruction (ADI)**—Formerly known as the flight line driving instruction. Establishes local operations, procedures and training standards for driving a vehicle on the airfield. Also called ADI.

**Airfield Driving Program Manager (ADPM)**—An individual appointment by the unit commander to administer the organization's airfield driving program.

**Airfield Facilities**—Includes: runways, taxiways, parking and servicing areas, ATC facilities, Airfield Management, navigational aids, aircraft fire suppression and rescue services and airfield lighting systems.

**Airfield Management**—A function that conducts airfield inspections and checks for safety and compliance with planning and design criteria. Plans, organizes and directs airfield activities to include airfield construction/repairs, airfield driving program, ice/snow removal operations, Bird/Wildlife control, etc. Procures, maintains, and produces information on safe operation of aircraft through the national and international airspace system such as Flight Information Publications, aeronautical charts and maps, Notice to Airmen (NOTAM), local airfield and navigational aid status, and weather information. Process domestic and international flight plans.

**Airfield Management Operations (AMOPS)**—A facility located near the airfield that provides aircrews with flight plan processing and planning services.

**Airfield Manager (AFM)**—Works directly for the AOF/CC and manages airfield management facilities to ensure effective support to the base flying mission and transient aircrews.

**Airfield Operations Flight Commander (AOF/CC)**—Responsible for the overall operation/services provided by the airfield operations flight in support of the wing flying mission and in compliance with USAF and FAA guidelines.

**Clear**—ATC term used between pilots and air traffic controllers, not authorized for use by personnel operating motor vehicles on the airfield.

**Commercial Vehicle**—A vehicle, which is owned or leased by a commercial firm.

**Controlled Areas**—Controlled areas are legally defined areas containing Protection Level 4 resources. Only authorized personnel, designated by a unit commander, have access to controlled areas.

**Controlled Movement Area (CMA)**—As defined in Airfield Operation Instructions, any portion of the airfield requiring aircraft, vehicles and pedestrians to obtain specific Air Traffic Control Tower (ATCT) approval for (normally via two-way radio contact with the ATCT).

Controlled Movement Areas include but are not limited to areas used for takeoff, landing and as required taxiing of aircraft. **Note:** This definition is used in lieu of "movement area" as defined in the FAA Pilot Controller Glossary. Also called CMA.

**Controlled Movement Area Violation (CMAV) Event**—An airfield infraction caused by aircraft, vehicles, or pedestrians entering the control movement area without specific ATCT approval. This definition includes runway incursions and infractions caused by communication errors. Refer to AFI 91-223 paragraphs 1.3.1.8. for reportable HATR reporting procedures and 1.3.1.9. for reportable CMAV events.

**Expedite**—Used by ATC when prompt compliance is required to avoid the development of an imminent situation.

**Foreign Object Damage (FOD)**—Any damage to an aircraft, engine, aircraft system, component, tire, munitions, or support equipment caused by a foreign object(s) which may or may not degrade the required safety and/or operational characteristics of the aforementioned items.

**Government Owned Vehicles (GOVs)**—Vehicles that are owned or leased by the US government.

**Ground Vehicle Traffic Lane**—A defined and marked lane on the flightline used for the movement of vehicle traffic.

**Hold or Hold Short**—Used by ATC to indicate you must stay where you are currently located or for you to hold at the Runway Hold line/VFR hold line prior to receiving approval into the CMA.

**Host Wing Commander**—The individual with ultimate responsibility for operating the airfield.

**Hot Spot**—A runway safety related problem area or intersection on an airfield. Typically, it is a complex or confusing taxiway/taxiway or taxiway/runway intersection. A confusing condition may be compounded by a miscommunication between a controller and a pilot, and may cause an aircraft separation standard to be compromised. The area may have a history of surface incidents or the potential for surface incidents.

**Immediately**—Used by ATC when such action compliance is required to avoid an imminent situation.

**Instrument Hold line**—A designated boundary intended to protect the runway environment. Found at the point where a taxiway and runway intersect. Instrument hold line is marked in retro-reflective yellow paint.

**Light Gun**—A handheld directional light signaling device which emits a brilliant narrow beam of white, green, or red light as selected by the tower controller. The color and type of light

transmitted can be used to approve or disapprove anticipated pilot actions where radio communication is not available. The light gun is used for controlling traffic operating in the vicinity of the airport and on the airport movement area.

**Major Command (MAJCOM)**—For the purpose of this instruction, includes all USAF Major Commands plus the Air National Guard Readiness Center, Air Force Reserve Command, Direct Reporting Units, and Field Operating Agencies. MAJCOM also refers to the OPR for Airfield Operations in this AFI.

**Negative**—No, or permission not granted, or that is not correct.

**Out**—The conversation is ended and no response is expected.

**Over**—My transmission is ended; I expect a response.

**Parking Ramp/Apron**—Areas where aircraft are parked, loaded and unloaded and serviced between flights. Vehicles and aircraft operate in close proximity in these areas, so it is vital to maintain a safe distance between your vehicle and aircraft. Always yield to aircraft and never drive under an aircraft or its wings. Slow speed and extreme caution are required in these areas.

**Perimeter Road**—A road around the runway perimeter designed to connect the access roads.

**Precision Obstacle Free Zone**—An 800 foot wide by 200 foot long area centered on the runway centerline adjacent to the threshold designed to protect aircraft flying precision approaches from ground vehicles and other aircraft when ceiling is less than 250 feet or visibility is less than 3/4 statute mile (or runway visual range below 4,000 feet.)

**Privately Owned Vehicle (POVs)**—A vehicle that is owned or leased by a private party.

**Proceed**—Authorization to begin/continue on approved routes.

**Ramp**—Either concrete or asphalt (depending on the weight of the aircraft and the sub-base of the ground beneath) used to park aircraft or equipment.

**Read Back**—Repeat my message back to me.

**Restricted Area**—An area on the airfield designated for the use by aircraft/equipment requiring security protection level. Marked with signs prior to entering, Red Lines will indicate the boundaries.

**Roger**—I understand and have received all of your transmission.

**Runway**—A defined rectangular area on an airfield prepared for the landing and takeoff of aircraft.

**Runway Hold line**—A designated boundary intended to protect the runway environment. Found at the point where a taxiway and runway intersect.

**Runway Incursion**—Any occurrence at an aerodrome involving the incorrect presence of an aircraft, vehicle or person on the protected area of a surface designated for the landing and take-off of aircraft. For the purpose of this instruction, the protected area is the same as the CMA. These are further classified into three operational categories:

**Operational Error (OE)**—A failure of the air traffic control system that results in loss of separation.

**Pilot Deviation (PD)**—The action of a pilot that results in the violation of ATC instructions, AFI's and/or FARs.

**Vehicle/Pedestrian Deviation(V/PD)**—Any entry or movement on the controlled movement area by a vehicle (including aircraft operated by non-pilots) or pedestrian that has not been authorized by Air Traffic Control.

**Say Again**—Used to request a repeat of the last transmission. Usually specifies transmission was not understood or received.

**Stand By**—To pause while other duties of a higher priority are attended to. Also means to standby for clearance/approval.

**Taxilane**—Ramp space between rows of parked aircraft used to maneuver aircraft to and from parking spots and taxiways.

**Taxiway**—A paved surface for taxiing aircraft from parking ramp to runway.

**Unit**—For the purpose of this AFI, the term unit is equivalent to a Squadron, also known as the basic unit in the USAF organizational structure. Squadrons are usually made up of several flights (typically four), and commanded by a field grade officer.

**Wake Turbulence**—A phenomenon resulting from the passage of an aircraft through the atmosphere. The term includes vortices, thrust stream turbulence, jet blast, jet wash, propeller wash, and rotor wash both on the ground and in the air.

**Wing Commander**—The individual with ultimate responsibility for operating the airfield.

**Without Delay**—With a sense of urgency, proceed with approved instructions in a rapid manner.

**Words Twice**—Communication is difficult. Please say every phrase twice.

**Wilco**—I have received your message, understand it, and will comply with it.

**Attachment 1 (21SW)**

**GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION**

*References*

**AFI21-101**, *Aircraft and Equipment Maintenance Management*, 21 May 2015

**AFVA11-240**, *USAF Airport Signs and Markings*, 1 May 2013

**AFI11-218**, *Aircraft Operations and Movement on the Ground*, 28 Oct 2011

*Prescribe Forms*

**21 SW Form 131**, *Peterson Airfield Private Owned Vehicle (POV) Pass Request*

*Adopted Forms*

**AF 847**, *Recommendation for Change of Publication*

*Abbreviations and Acronyms*

**COS**-Colorado Springs

**PADS**— Peterson Airfield Driving SharePoint

**AMOPS**—Airfield Management Operations

**IAW**—In Accordance With

**SIDA** - Security Identification Display Area

**Attachment 2****UNIT AIRFIELD DRIVING PROGRAM MANAGER AND TRAINER(S)  
APPOINTMENT LETTER**

MEMORANDUM FOR 213 OSS/OSA

FROM: (Unit Commander Office Symbol)

SUBJECT: Appointment of Unit ADPMs and Trainers

1. The following individuals are appointed as unit Airfield Driving Program Managers (primary/alternate) and trainers. Individuals have received training IAW AFI 13-213 and the Local Driving Instruction. Both ADPM and Alt ADPM have the authority to certify personnel are qualified to drive on the airfield and will ensure completion and tracking of all airfield drivers training for unit assigned and TDY personnel.

<b>NAME/Email</b>	<b>OFFICE SYM</b>	<b>DP</b>	<b>483 # _____</b>
<b>PRIMARY:</b>			
MSgt Ann B. Smith Email: Ann.Smith@blank.af.mil	OSAA	XXX-XXXX	BLK#####
<b>ALTERNATE:</b>			
TSgt John E. Doe Email: John.Doe@blank.af.mil	OSAA	XXX-XXXX	BLK#####

2. The following individuals are appointed as Airfield Driving Program Trainers:

<b>NAME/Email</b>	<b>OFFICE SYM</b>	<b>DP</b>	<b>483 # _____</b>
TSgt Jane C. Davis Email: Jane.Davis@blank.af.mil	OSAA	XXX-XXXX	BLK#####
SSgt Michael Johnson Email: Michael.Johnson@blank.af.mil	OSAA	XXX-XXXX	BLK#####

3. This letter supersedes all previous letters, same subject.

XXXX X. XXXXX, Lt Col, USAF  
Commander

## Attachment 3

## UNIT ADPM TRAINING CHECKLIST

UNIT ADPM TRAINING CHECKLIST			
<b>SECTION I – TRAINEE INFORMATION</b> ( <i>Completed by Wing ADPM</i> )			
Name (Last, First, Middle Initial)	Rank, Civilian Grade or equivalent	Unit/Office Symbol or Company Name	Duty Phone
<b>SECTION II – QUALIFICATION TRAINING</b> ( <i>Completed by Trainee and Wing ADPM</i> )			
	<b>Date Completed</b>	<b>Trainee Initials</b>	<b>Wing ADPM</b>
1. Unit ADPM duties and responsibilities.			
2. Appointment of unit trainers.			
3. Runway incursion prevention.			
4. Governing Directives.			
4.1. AFMAN 24-306, <i>Manual for the Wheeled Vehicle Operator</i> .			
4.2. AFOSHSTD 91-100, <i>Aircraft Flightline – Ground Operations and Activities</i> , Chapter 6.			
4.3. AFI 21-101, <i>Aircraft and Equipment Maintenance Management</i> .			
5. Testing requirements to include test security/compromise.			
6. Color vision testing requirements. See AFI 48-123, <i>Medical Examinations and Standards</i> for additional information.			
7. Airfield Driver's training requirements.			
7.1. Local Qualification.			
7.2. Refresher.			
8. Unit ADPM Continuity Binder.			
9. Reporting, Enforcement, and Violation Consequences.			
10. Vehicle Passes (Privately Owned/Government Leased).			
11. Controlled Movement Area (CMA) procedures and training for unit personnel.			
12. TDY personnel/Non-based assigned contractors briefing and or training requirements.			
13. Escort procedures.			
14. Procedures for issuing revoking and reissuing an AF IMT 483, <i>Certificate of Competency</i> .			
15. Participate with the Unit AFPM on an actual training session and practical check ride.			

16. AF IMT483 CERTIFICATE #		STAMP:	
<b>SECTION III – TRAINING CERTIFICATION</b> ( <i>Completed by the Trainee and Wing ADPM or designated representative</i> )			
<b>TRAINEE</b>			
I have received and completed all of the above training requirements and will comply with <u>Local Base Airfield Driving Instruction (ADI)</u> .			
Name (Last, First, MI):	Rank, Civilian Grade or equivalent:	Signature:	Date:
<b>WING ADPM or designated representative</b>			
Name (Last, First, MI):	Rank, Civilian Grade or equivalent:	Signature:	Date:

**Note:** A local form or electronic equivalent may be used as long as it includes all information listed above.

## Attachment 4

## UNIT AIRFIELD DRIVER PROGRAM SELF INSPECTION CHECKLIST

UNIT AIRFIELD DRIVER PROGRAM SELF INSPECTION CHECKLIST			
<b>SECTION I – GENERAL INFORMATION</b> <i>(Completed by the Wing ADPM or Unit ADPM)</i>			
Unit	Office Symbol or Company Name	Date:	
<b>SECTION II – INSPECTION ITEMS</b> <i>(Completed by the Wing ADPM or Unit ADPM)</i>			
	<b>Yes</b>	<b>No</b>	<b>Not Applicable</b>
<b>1. Unit Commander.</b>			
1.1. Has the unit commander appointed, in writing, an Airfield Driving Program Manager and alternate?			
1.2. Is a current copy of the Airfield Driving Program Manager appointment letter on file at Airfield Management?			
1.3. Does the unit commander limit the number of personnel authorized to drive on the airfield to the absolute minimum necessary to accomplish the mission?			
1.4. Has the unit commander established procedures to limit the number of runway crossings? Is the number of unit drivers validated at least annually to include those that enter or cross the runway?			
1.5. Is the unit commander notified when individuals commit a violation?			
1.6. Does the unit commander notify the Airfield Driving Program Manager and Airfield Management when revoking an individual's driving privileges?			
1.7. Has the unit commander appointed, in writing, Airfield Driving Program Trainers? Is the list of names current and accurate?			
<b>2. Unit Airfield Driving Program (ADPM) Manager.</b>			
2.1. Is the Unit ADPM trained and certified to drive on the airfield?			
2.2. Does the Unit ADPM ensure drivers have a valid state driver's license and are qualified to operate applicable vehicles?			
2.3. Does the Unit ADPM ensure airfield drivers have their color vision tested? Is the AFSC exempt?			

2.4. Does the Unit ADPM maintain a list of all drivers authorized to drive on the airfield with at least the minimum data (Full name, rank, unit, office symbol, AF IMT 483 number, any restrictions and date refresher training is due)?			
2.5. Does the Unit ADPM have current and accurate training documentation on file for drivers that have been issued an AF IMT 483, <i>Certificate of Competency</i> , endorsed for airfield driving?			
2.6. Does the Unit ADPM maintain a properly formatted continuity binder or electronic equivalent with all required documentation?			
2.7. Are the training and testing materials current and accurate?			
<b>3. TDY personnel/Non base assigned Contractors.</b>			
3.1. Are TDY personnel/Non base assigned contractors driving credentials verified (do TDY personnel/Non base assigned contractors have a valid state/GOV driver's license and AF IMT 483 from their home base)? ADPM should question the need to issue AF IMT 483 if TDY personnel do not have an AF IMT 483 from their home station.			
3.2. Are TDY personnel being trained on driving requirements in accordance with the local driving instruction?			
<b>4. Training.</b>			
4.1. Are potential airfield drivers receiving classroom training by the ADPM ( <i>as determined locally</i> )?			
4.2. Are potential airfield drivers receiving practical day and night (as applicable) airfield familiarization training?			
4.3. Are potential airfield drivers receiving a practical day and night (as applicable) driving test?			
4.4. Does the ADPM provide unit personnel with references and materials necessary to complete training? Is this material readily available for reference in the event the program manager or alternate is not available?			
4.5. Is remedial training conducted and documented on personnel that fail a test or commit a violation?			
4.6. Are drivers receiving annual refresher training within the established time lines?			
4.7. Does the ADPM have a mechanism established to track annual refresher training requirements? Is the refresher training being documented on the back of the AF IMT 483?			

4.8. Are trainees administered a General Knowledge Test?			
4.9. Are trainees administered a Runway Incursion Prevention Test?			
4.10. Are trainees administered a Communication Test to individuals requiring CMA access?			
4.11. Are trainees instructed on proper radio terminology when communicating with the ATCT?			
4.12. Are trainees shown the actual location of Runway Hold-Lines and can they readily provide a verbal description of Runway Hold-Lines?			
4.13. Are trainees familiar with runway entry and exit procedures and radio “read back” requirement? (A random interview of unit vehicle operators may be conducted.)			
<b>5. Miscellaneous.</b>			
5.1. Is FAA Form 5280-7/AFVA 11 -240, Airfield Visual Aid Safety Placard, available for each vehicle operated on the CMA?			
5.2. Is FOD prevention and identification part of the Unit’s Airfield Driving Program?			
5.3. Are vehicles used on taxiways and runways equipped with Infrared Red Lights/Roof-mounted rotating beacons?			
5.4. Is a current airfield diagram in unit assigned vehicles?			
<b>SECTION III – COMMENTS/NOTES</b> <i>(Completed by the Wing ADPM or Unit ADPM)</i>			
<b>SECTION IV – CERTIFICATION</b> <i>(Completed by the Unit ADPM and Wing ADPM)</i>			
<b>UNIT ADPM</b>			
Name (Last, First, MI):	Rank, Civilian Grade or equivalent:	Signature:	Date:
<b>WING ADPM</b>			
Name (Last, First, MI):	Rank, Civilian Grade or equivalent:	Signature:	Date:

---

**Note:** A local form or electronic equivalent may be used as long as it includes all information listed above.

## Attachment 5

**AIRFIELD DRIVING TRAINING DOCUMENTATION AND CERTIFICATION CHECKLIST**

<b>AIRFIELD DRIVING TRAINING DOCUMENTATION AND CERTIFICATION CHECKLIST</b>			
<b>SECTION I – TRAINEE INFORMATION</b> <i>(Completed by the Unit ADPM)</i>			
Name (Last, First, Middle Initial)	Rank, Civilian Grade or equivalent	Unit/Office Symbol or Company Name	Duty Phone
<b>SECTION II – QUALIFICATION TRAINING</b> <i>(Completed by the Trainee and Unit Trainer)</i>			
	<b>Date Completed</b>	<b>Trainee's Initials</b>	<b>Trainer's Initials</b>
1. Trainee possesses a valid <i>(List State of Issue)</i> Driver's License <i>(List restrictions)</i> .			
2. Trainee possesses a valid Government Driver's License.			
3. USAF Airfield Driving Computer Base Training. <b>[Score: ]</b>			
4. Airfield Driver Training Classroom <i>(as determined locally)</i> .			
5. Airfield Driving Qualification Training Checklist/ Curriculum. (See Attachment 6)			
6. Practical Day Airfield Driver Familiarization Training (See Attachment 6, Item 4)			
7. Practical Night Airfield Driver Familiarization Training as applicable. (See Attachment 6, Item 4)			
8. Practical Driving Test. Includes day and night (as applicable)			
9. Communications Test. <b>[Score: ]</b>			
10. Airfield Diagram/Layout Test. <b>[Score: ]</b>			
11. General Knowledge Test (Written). <b>[Score: ]</b>			
12. Runway Incursion Prevention Test. <b>[Score: ]</b>			
<b>SECTION III – Color Vision Test for CMA drivers only.</b> <i>(Completed by Hospital/Medical Treatment Facility Optometry For)</i>			
Check applicable.			
1. Normal Color Vision.			
2. Color Blind/Deficient.			
Name (Last, First, MI):	Grade:	Signature:	Date:
<b>SECTION IV – TRAINER CERTIFICATION</b> <i>(Completed by Authorized Airfield Driving Training Instructor)</i>			

I certify that the trainee has received all required qualification training requirements annotated above.			
Name of Trainer (Last, First, MI):	Grade:	Signature:	Date:
<b>SECTION V – TRAINEE ACKNOWLEDGEMENT</b> ( <i>Completed by Trainee</i> )			
I have received and completed all of the above training requirements and will comply with <u>Local Base</u> Airfield Driving Instruction (ADI). I am also fully aware that no vehicle or pedestrian shall enter a runway or other controlled movement areas without approval from the Air Traffic Control Tower (ATCT).			
Name of Trainee (Last, First, MI):	Grade:	Signature:	Date:
<b>SECTION VI – UNIT CERTIFICATION</b> ( <i>Completed by Unit Commander or Unit ADPM</i> )			
I certify that the above trainee has successfully completed all training requirements to operate a vehicle at <u>Local Base</u> . Check all applicable restrictions and or special access.			
<input type="checkbox"/> Ramp only <input type="checkbox"/> Daylight Hours only <input type="checkbox"/> Other ( <i>Specify</i> )			
Name (Last, First, MI):	Grade:	Signature:	Date:
<b>SECTION VII – AIRFIELD DRIVING AUTHORIZATION</b> ( <i>Completed by the Wing ADPM or designated representative</i> )			
<input type="checkbox"/> Approved <input type="checkbox"/> Disapproved		AF IMT483 CERTIFICATE #	
Name (Last, First, MI):	Grade:	Signature:	Date:

**Note:** A local form or electronic equivalent may be used as long as it includes all information listed above.

## Attachment 6

## AIRFIELD DRIVING QUALIFICATION TRAINING CHECKLIST (CURRICULUM)

AIRFIELD DRIVING QUALIFICATION TRAINING CHECKLIST (CURRICULUM)				
SECTION I – TRAINEE INFORMATION <i>(Completed by Unit ADPM)</i>				
Name (Last, First, Middle Initial)	Rank, Civilian Grade or equivalent	Unit/Office Symbol or Company Name	Duty Phone	
	Date Completed	Trainee's Initials	Trainer's Initials	Not Available (N/A)
<b>1. Definitions and terms.</b> Training Outcome(s): Trainee must be knowledgeable of the terms used on an airfield.				
1.1. Runway				
1.2. Controlled Movement Area (CMA)				
1.3. Controlled Movement Area Violation (CMAV)				
1.4. Runway Incursion				
1.5. Taxiway				
1.6. Ramp/Apron				
1.7. Foreign Object Damage (FOD) control/prevention				
1.8. Overrun				
1.9. Taxilane				
1.10. Light Gun				
1.11. Jet Blast				
1.12. Vehicle Service Road				
1.13. Hot Cargo Area				
1.14. Arm/De-Arm Area				
1.15. Aircraft Arresting Gear				
1.16. ILS Critical Area				
1.17. Mandatory Sign				
1.18. Informational Sign				
1.19. Emergency Response Vehicle				
1.20. Circle of Safety				
1.21. Restricted Area				
1.22. Entry Control Point				
1.23. Fixed/Mobile Obstacle				
1.24. Airfield Management				
1.25. Air Traffic Control Tower (ATCT)				
<b>2. Vehicle operator requirements.</b> Training				

Outcome(s): Trainee must be knowledgeable on local procedures and requirements for operating a vehicle on the airfield.				
2.1. Use of vehicle lighting (e.g. Daytime Running, Rotating/IR beacons, hazard/emergency flashers).				
2.2. Procedures for reporting an accident or vehicle maintenance problems.				
2.3. Vehicle parking and chocking requirements.				
2.4. Use of perimeter and infield roadways.				
2.5. Lateral distance requirements for mobile obstacles on an apron/ramp and taxiway.				
2.6. Speed limits for vehicles operating on an apron/ramp and taxiway.				
2.7. Requirements for operating a vehicle within the immediate vicinity of aircraft.				
2.8. Procedures for reporting and removing FOD.				
2.9. Restricted visibility and/or night driving.				
2.10. Procedures for operating of bicycles, tricycles, etc. on the airfield.				
2.11. Use of traction control devices as applicable.				
2.12. Emergency Response Vehicle requirements.				
2.13. Vehicle Escort/Convoy Driving procedures as applicable.				
<b>3. Aircraft Operations.</b> Training Outcome(s): Trainee must be knowledgeable of hazards associated with aircraft.				
3.1. Right of Way.				
3.2. Taxiing.				
3.3. Jet Blast safety requirements.				
<b>4. Practical Day and Night (as applicable) Airfield Familiarization Training.</b> Training Outcome(s): Trainee must be knowledgeable of the airfield environment. At a minimum, the trainee must demonstrate the ability to operate a vehicle to and from their designated work areas.				
<b>5. Local Airfield Basics.</b> Training Outcome(s): Trainee must be knowledgeable of the airfield environment.				

5.1. Familiarize trainee with the following airfield lighting.				
5.1.1. Runway.				
5.1.1.1. Edge Lights.				
5.1.1.2. Approach Lights.				
5.1.2. Taxiway.				
5.1.2.1. Edge Lights.				
5.1.2.2. Centerline Lights.				
5.1.2.3. Guard Lights (as applicable).				
5.2. Familiarize trainee with the following airfield signage.				
5.2.1. Runway Hold Sign.				
5.2.2. Taxiway Location Sign.				
5.2.3. ILS Critical Area Sign.				
5.2.4. Direction Sign.				
5.2.5. Distance Remaining Sign.				
5.3. Familiarize trainee with the following airfield markings.				
5.3.1. Runway.				
5.3.1.1. Centerline.				
5.3.1.2. Edge.				
5.3.1.3. Runway ID Numbers.				
5.3.1.4. Threshold Markings.				
5.3.1.5. VFR Hold Line.				
5.3.2. Vehicle Stop Bars.				
5.3.3. Taxiways.				
5.3.3.1. Centerline.				
5.3.3.2. Edge Markings.				
5.3.4. ILS Critical Areas.				
5.3.5. Non-Movement Area Boundary Marking as applicable.				
5.3.6. Non Standard Airfield Markings as applicable.				
5.3.7. Aircraft Arresting Gear Marking as applicable.				
5.4. Familiarize trainee with the locations or airfield Navigational Aids and Visual Approach Aid.				
5.5. Familiarize trainee with the location of Restricted Areas and Entry Control Points.				
5.6. Familiarize trainee with the location of Free Zones as applicable.				
5.7. Familiarize trainee with the reduced visibility/inclement weather driving techniques.				

5.8. Familiarize trainee with the location of the Fire Department, Air Traffic Control Tower and Airfield Management.				
5.9. Familiarize trainee with the location and use of traffic control devices.				
5.10. Familiarize trainee with Jet Blast hazardous locations on the airfield.				
5.11. Familiarize trainee with runway(s) configuration (e.g. dimensions, location, designation, etc.).				
5.12. Familiarize trainee with the taxiway configuration (e.g. dimensions, location, designation, etc.).				
5.13. Familiarize trainee with Controlled Movement Area Boundaries.				
5.14. Familiarize trainee with Congested Areas.				
5.15. Familiarize trainee with Hot Spots as required locally.				
5.16. Identify Smoking Areas as applicable.				
<b>6. Communications.</b> Training Outcome(s): Trainee must be knowledgeable of proper radio terminology and ATCT phraseology use on the airfield.				
6.1. Ground Vehicle Communications.				
6.2. Procedural Words and Phrases.				
6.3. Aviation Phonetic Alphabet.				
6.4. Aviation Terminology.				
6.5. Procedures for Contacting the ATCT.				
6.6. Light Gun Signals (Description of ATCT Light Gun signals).				
6.7. ATCT and or vehicle blind spots.				
<b>7. Other.</b>				
7.1. Review ADI.				
7.2. Runway Incursion Prevention Training.				
7.3. Demonstrate the ability to contact ATCT for approval to enter/exit the CMA. <b>Note:</b> Required for all personnel that require access on or across taxiways, helipads and aprons located in the CMA.				
7.4. Demonstrate the ability to contact ATCT for approval to enter/exit the runway. <b>Note:</b> Required for all personnel that require assess on or across the runway.				

<b>SECTION III – TRAINING CERTIFICATION</b> ( <i>Completed by the Trainee, Unit ADPM and Wing ADPM</i> )			
<b>TRAINEE</b>			
I have received and completed all of the above training requirements and will comply with <u>Local Base</u> Airfield Driving Instruction (ADI). I am also fully aware that no vehicle or pedestrian shall enter a runway or other controlled movement areas without approval from the Air Traffic Control Tower (ATCT).			
Name (Last, First, MI):	Rank, Civilian Grade or equivalent:	Signature:	Date:
<b>UNIT ADPM</b>			
I certify that the above individual has completed all local training requirements outlined in <u>State Local Base</u> Airfield Driving Instruction (ADI). Check all applicable restrictions.			
<input type="checkbox"/> Ramp only <input type="checkbox"/> Daylight Hours only <input type="checkbox"/> Other ( <i>Specify</i> )			
Name (Last, First, MI):	Rank, Civilian Grade or equivalent:	Signature:	Date:
<b>WING ADPM or designated representative (<i>as required</i>)</b>			
Name (Last, First, MI):	Rank, Civilian Grade or equivalent:	Signature:	Date:

**Notes:**

1. A local form or electronic equivalent may be used as long as it includes all information listed above.

## Attachment 7

## TDY PERSONNEL/NON-BASE ASSIGNED CONTRACTORS TRAINING CHECKLIST

<b>TDY PERSONNEL/NON-BASE ASSIGNED CONTRACTORS TRAINING CHECKLIST</b>			
<b>SECTION I – TRAINEE INFORMATION</b> ( <i>Completed by Unit ADPM or Wing ADPM</i> )			
Name (Last, First, Middle Initial)	Rank, Civilian Grade or equivalent	Unit/Office Symbol or Company Name	Duty Phone
<b>SECTION II – QUALIFICATION TRAINING</b> ( <i>Completed by the Trainee, Unit ADPM or designated Trainer</i> )			
	<b>Date Completed</b>	<b>Trainee's Initials</b>	<b>Trainer's Initials</b>
1. Explain the difference between mandatory/informational airfield signs. Provide examples of mandatory/informational local airfield signs.			
2. Explain the different types of airfield markings (e.g. runway, taxiway, apron/ramp). Provide examples of local airfield markings.			
3. Explain the different types of airfield lighting systems (e.g. runway, taxiway, apron/ramp). Provide examples of local airfield lighting.			
4. Identify the speed limits for general/special purpose vehicles operating on aircraft parking aprons/ramp and taxiways.			
5. Identify the procedures for vehicle operating in the immediate vicinity of base assigned and transient (if applicable) aircraft.			
6. Explain the requirements for parking and chocking vehicles and/or equipment on the airfield.			
7. Identify the lateral distance requirements for mobile obstacles on taxiways and aprons.			
8. Discuss Foreign Object Damage (FOD) control/prevention measures for the airfield.			
9. Identify methods/practices to prevent a runway incursion.			
10. Explain the different types of airfield violations and their consequences.			
11. Identify the proper radio terminology and phraseology.			
12. Provide a local Airfield Diagram.			
13. Identify all restricted areas and entry control			

points.			
14. Identify all Control Movement Area boundaries.			
15. Identify Free zones, when applicable.			
16. Practical airfield familiarization training. At a minimum, familiarize individual on route(s) to and from the designated work area.			
17. Explain procedures for Night Driving, Reduced visibility and Inclement weather, when applicable.			
18. Explain procedures for reporting an accident or vehicle maintenance problems.			
<b>SECTION III – TRAINING CERTIFICATION</b> ( <i>Completed by Trainee, Unit ADPM and Wing ADPM as required</i> )			
<b>TRAINEE</b>			
I have received and completed all of the above training requirements and will comply with <u>Local Base</u> Airfield Driving Instruction (ADI). I am also fully aware that no vehicle or pedestrian shall enter a runway or other controlled movement areas without approval from the Air Traffic Control Tower (ATCT).			
Name (Last, First, MI):	Rank, Civilian Grade or equivalent:	Signature:	Date:
<b>UNIT ADPM</b>			
I certify that the above individual has completed all local training requirements outlined in <u>State Local Base</u> Airfield Driving Instruction (ADI). Check all applicable restrictions.			
<input type="checkbox"/> Ramp only <input type="checkbox"/> Daylight Hours only <input type="checkbox"/> Other ( <i>Specify</i> )			
Name (Last, First, MI):	Rank, Civilian Grade or equivalent:	Signature:	Date:
<b>WING ADPM or designated representative</b> ( <i>as required</i> )			
Name (Last, First, MI):	Rank, Civilian Grade or equivalent:	Signature:	Date:

**Notes:**

1. A local form or electronic equivalent may be used as long as it includes all information listed above.

Attachment 8 (Added-21SW)

PETERSON AFB AIRFIELD DIAGRAM

Figure A8.1. Airfield Diagram





Figure A8.2. Airfield Access Points and Restricted Area Boundaries

# Peterson AFB Ramp

Entire PAFB Ramp is considered a controlled area outlined by \_\_\_\_\_

Figure A8.2 Airfield Access Points and Restricted Area Boundaries





**Attachment 9 (Added-21SW)**  
**PETERSON AFB AIRFIELD MARKINGS**

**A9.1. Airfield Markings A9.1.A9.5.**

AIRFIELD MARKINGS



Figure A9.1. Runway Hold Position Marking




Figure A9.2. Instrument [INST/ILS/POFZ] Hold Position Marking



Figure A9.3. Taxilane Wingtip Clearance Marking



Figure A9.4. Continuous Taxiway Edge Line Marking



Figure A9.5. Taxiway Centerline Marking

**Attachment 10 (Added-21SW)**

**PETERSON AFB SIGNS AND LIGHTING**

**10.1. Signs and Lighting A10.1-A10.12.**

PETERSON AFB AIRFIELD  
SIGNS AND LIGHTING



Figure A10.1. Mandatory Runway Hold Position Sign with Taxiway Location Sign



Figure A10.2. Mandatory Instrument/POFZ Hold Position Sign



Figure A10.3. Mandatory Instrumental Hold Position Sign at ILS Critical Area



Figure A10.4. Taxiway Direction Sign with Taxiway Location Sign



Figure A10.5. Taxiway Direction Sign



Figure A10.6. Runway Exit Sign



Figure A10.7. Boundary Sign for Runway Protected Area with Taxiway Location Sign



**Figure A10.8. ILS Critical Area/POFZ Boundary Sign**



**Figure A10.9. Runway Edge Light**



**Figure A10.10. Taxiway Edge Light**

Figure A10.11. Controlled Movement – Non-Movement Area Boundary Marking



Figure A10.12. Vehicular driving lane



Attachment 11 (Added-21SW)

PETERSON AFB AIR TRAFFIC CONTROL TOWER VISUAL BLIND SPOTS

Figure A11.1. Air Traffic Control Tower Visual Blind Spots

PETERSON AFB AIR TRAFFIC CONTROL  
TOWER VISUAL BLIND SPOTS



Approach End Rwy 35R from Tower



Building 122 Tower from Tower



Hangar 208 from Tower



Twy E from Tower

Attachment 12 (Added-21SW)

PETERSON AFB VEHICLE AND PEDESTRIAN CALL SIGNS

Figure A12.1. Call Signs

PETERSONAFB VEHICLE AND/OR PEDESTRIAN CALL SIGNS

CALLSIGN	IN USE BY
Airfield - 1	Airfield Manager
Airfield - 2	Deputy Airfield Manager
Airfield - 3	NCOIC, Airfield Management, NCOIC, Airfield Management Operations, NCOIC, Airfield Management Training and Airfield Management Operations Personnel or civilian equivalents
Tango - 1	Transient Alert Vehicle 1
Tango - 2	Transient Alert Vehicle 2
Tug - 1	Tug Vehicle 1
Tug - 2	Tug Vehicle 2